

## Versatile innovations.

Unique passion.

We love to enhance our customers everyday experiences with unique high-tech appliances and to give discerning connoisseurs pleasure with our products every day.

This is why tireless commitment and perfect craftsmanship flow into the creation of our products.





## 100 years of history.

From the inventor of television to a global, traditional company.



For a century, Loewe has stood for inventive spirit and luxury home cinema experiences. From its founding in 1923 to the invention of the television in 1931, Loewe has developed into a traditional company with worldwide operations and is now active in 45 countries with its high-quality, elegant TV and audio products.

The traditional manufactory and the high-tech production lines in Kronach in Upper Franconia continue to be the heart of the Loewe brand. This is how sustainable high-tech products par excellence are created.

### Vision & Values

The epitome of luxury.

Loewe is dedicated to give every product a meaning. A story. A purpose. In dedicated precision work, we want to anchor Loewe as the epitome of luxurious technical products par excellence.

The perfect interplay of technical masterpieces and outstanding design icons is awarded on a regular basis by press and design awards.



## Our way to sustainability.

We are committed to producing beautifully designed, highly functional, modern and timeless objects. By selecting the finest, highest-quality materials, Loewe creates sustainable products with careful precision work that impress with energy efficiency, software updates and years of reparability, thus underscoring our sustainability concept.



## The Loewe service promise.

For Loewe, service does not end with the purchase: customers can rely on comprehensive service solutions at all times. Our detailed online based FAQ will help you with short questions anytime. Since sustainability is a big part of Loewe's DNA, Loewe's own technical repair shop is able to repair products up to ten years of age - depending on the model and the fault of the unit. A deliberately generous stock of spare parts makes it possible. In addition regular software updates keep Loewe products state-of-the-art technology.

We will be happy to help you.

helpline@loewe.de

4 —

# Loewe. Made in Germany.

Kronach, Germany - a place where extraordinary innovative power, impressive tradition and perfect craftsmanship come together to produce technically sophisticated, unique masterpieces. We create and develop every Loewe product in Germany and almost our entire television portfolio is "Made in Germany". At the same time, Loewe has remained true to its handcrafted production method in the manufactory at its headquarters in Kronach.

Each set is manufactured with attention to detail and is individually calibrated for naturally brilliant colours through precise fine-tuning and tested under the strictest quality criteria. Ultimate cinema feeling, excellent detail, vivid movements, outstanding colour fidelity and impressive sound quality are only a touch of a button away.

### As vivid as real life. Excellent OLED colour reproduction.

Thrillers, football highlights or nature documentaries with excellent details, velvety smooth motions and brilliant colours fidelity from the first moment you switch on: The 4K OLED display is optimised for every Loewe iconic, bild s, bild v and bild i to ensure everything appears absolutely authentic and true to life.

The pre-calibrated 4K OLED displays with their rich, deepest OLED black based on self-illuminating pixels guarantee breath-taking contrasts and enormous picture depths: experience your movies and series as authentically and realistically as never before.

Loewe iconic	8
Loewe bild s	10
Loewe bild v	12
Loewe bild i	14
Loewe bild c	16







# State-of-the-art TV technology. Picture quality Made in Germany.

An impressive combination of television and front-firing soundbar in a setup solution that, in addition to excellent TV and audio technology Made in Germany, impresses above all with its unique design: with its sculptural, coherent design language, the Loewe iconic sets strong accents and new standards for luxury-class home entertainment. The setup solution of the Loewe iconic is handcrafted from the material Syno-Stone. Syno-Stone is a solid mineral material, which is is robust and durable and yet feels as heavy and cool as stone. Available in the colours Graphite Grey and Pure White or customisable through our exclusive colour selection options of the iconic floor stand and speaker covers.

# Individual design creation. For the perfect living ambience.

Create your personal TV design icon with the Loewe iconic collection using our exclusive colour selection options. The colour scheme of the Loewe iconic floor stand and the speaker cover can be customised so that your TV design icon integrates seamlessly into your living space.

The timeless design icon is available in the SL5 and SL7 versions and with high-quality OLED displays in 55" and 65" sizes. The powerful sound bar with a total music output of 360 watts and integrated subwoofers is attractively and discreetly integrated behind a high-quality fabric panel. Thanks to precisely calibrated colours and tones ex works, you enjoy artfully arranged TV and audio quality and thus an ultra-realistic, impressive picture and sound experience.

### Loewe bild s

# The ultimate star. For the big show.

As vivid as real life: excellent OLED colour reproduction.

Pure magic.

Integrated soundbar.

Sounds right and sounds great. Mimi Sound Personalization™.


A truly impressive star appeal. Luxurious design. Don't miss a anything.

dr+, two-channel system and dual tuner.

Maximum of privacy and data security. Easy-TV mode.

Extremely flexible.

Motorised set-up solution.





# Fiction becomes reality: Thanks to Dolby Vision<sup>TM</sup>.

With its impressive 196 cm screen, the Loewe bild s.77 brings the ultimate 4K OLED TV into your living room. The breath-taking design of the Loewe giant with a 77" display completely reinterprets the OLED flat screen - a born star that makes a grand entrance into any upscale interior.

## Switch your TV on and enjoy: pre-set cinema mode.

Manually manufactured in Germany and precisely calibrated for perfect colour reproduction, this XXL Loewe TV offers an excellent, unrivalled picture and sound quality. Ultra-HD resolution, state-of-the-art HDR technology (HDR10, HLG, Dolby Vision), two-channel system, integrated dr+ hard disc, dual tuner for all reception paths, the integrated soundbar and a 4K streaming box from Apple ensure pure luxury home cinema. Experience the big show with the Loewe bild s.77 and enjoy films, series or TV programmes in a new entertainment dimension.





<del>-</del>

### Loewe bild v

# Timeless classic for highest demands.



## Simply better. Pre-calibrated cinema mode.

Record and watch later. dr+, dual tuner and two-channel system.

Stereo sound with power. Impressive audio.

Excellent sound experience. With Mimi Sound Personalization  $^{TM}$ .

Timeless elegance. Classic Loewe design.

Your data, your privacy. Even more secure with Easy-TV mode.



# Within your reach. Due Dolby Vision $^{TM}$ .

Precision work Made in Germany: manufactured on a hightech production line at our Kronach headquarters, the ultrahigh-resolution 4K OLED Loewe bild v is already calibrated at the factory, so you enjoy excellent picture quality from the moment you switch it on. This timeless classic impresses with a sophisticated picture and sound experience thanks to the latest HDR technology (HDR10, HLG, Dolby Vision), integrated stereo soundbar and 48", 55" or 65" screen. Absolutely convenient

and quick to operate, the Loewe bild v scores with its extensive technology equipment - including a dual tuner for all reception modes and the two-channel system.

Thanks to the highest quality of workmanship and Loewe's typical minimalist design, experience a thrilling home cinema that fits perfectly into any upscale living environment.



<del>-</del>

### Loewe bild i

# Modern all-rounder for smart entertainment.

Extraordinary. Due to pre-calibrated picture quality.

Don't miss anything: integrated dr+ hard disk.

Always the best sound: flexible sound solutions.

Modern home cinema: stylish 360° design.

Harmonious and unique design.





# The world of streaming. Discover natively with Loewe os 7.

Ready for Smart TV with an ultra-high resolution 4K OLED display with 48", 55", 65" or newly available 77" screen: the Loewe bild i is our modern all-rounder for the best entertainment via the Internet. Whether watching TV, using video-on-demand, browsing media libraries, listening to music, surfing the Internet or accessing online streaming services - your entertainment program can be conveniently controlled via the Smart TV platform or by voice command.

Hand-built in Germany and equipped with innovative HDR technology (HDR10, HLG, Dolby Vision™), a voluminous, flexible sound system and integrated dr+ hard drive, the Loewe bild i impresses with an unmistakable symbiosis of tradition and modernity combined with the highest quality.

# True to life. With Dolby $Vision^{TM}$ .

The Loewe multi-talent presents itself as a stylish, minimalist design statement and at the same time offers a magical picture and sound experience.

The Loewe bild i is optionally available together with the powerful Loewe soundbar klang bar i, which impresses with powerful front-firing stereo sound from eight integrated drivers generating 80 watts of total music power. With this high-quality sound bar, you benefit from clear dialogues and a pleasant listening experience even at low volumes. Its compact build matches the design of the Loewe bild i perfectly - enhancing every living space.





### Loewe bild c

# Compact without compromises. The Loewe smart TV.

Fiction becomes reality thanks to Dolby Vision™. (43" only)

Highest flexibility: versatile options for connection.

Powerful entertainment: balanced 3D sound.

Compact, elegant design: perfect for smaller rooms.





# Authentic colour experience: perfected Edge LED panel.

Maximum functionality in a compact housing: thanks to versatile, technically perfected features, the Loewe bild c presents itself as a space-saving smart TV. The 43" Edge LED panel, the Smart TV platform, the 4K UHD resolution and the HDR picture processing with Dolby Vision™, and much more, ensure first-class picture quality.

Experience smart TV of the most convenient kind in the blink of an eye. In seconds, you can use the Loewe bild c to access streaming services such as Netflix, Amazon-Prime or Disney+, YouTube or even media libraries directly.

The integrated sound bar with front-firing speakers with 60 watt total music power carries the sound optimally into any room and impresses with excellent speech intelligibility. With its discreet size and minimalist design, this compact TV model blends seamlessly into any upscale interior and fits perfectly into smaller rooms such as bedrooms or kitchens.





### Loewe plus

# Set-up solutions for every living space.



### Perfectly positioned.

The Loewe set-up solutions adapt to any interiors, so each TV can be perfectly integrated into different living environments.

Whether wall mounts, table or floor solutions - with our set-up options, everyone will find the perfectly individual solution.

Which set-up solution matches with which Loewe television can be taken from the data sheets. A glimpse of Loewe's beautiful set-up solutions can be found here:



Loewe floor stand flex









Loewe floor2ceiling stand

Loewe floor stand motor s.77

Loewe floor stand motor v







Loewe wall mount slim 432

Loewe wall mount slim 221

Loewe wall mount universal

# Innovative inhouse design.

Design is firmly anchored in the Loewe DNA. Timeless, highly functional and aesthetically minimalist are the attributes of the Loewe design philosophy that underlie the work of our experienced industrial designers in our design centre.

Excellent design is what drives us. For us, design is more than just a part of our corporate strategy. Loewe design is our pride and joy. This is why we receive several prestigious design awards such as the Red Dot Design Award or the iF Design Award from renowned experts every year.

Thought out down to the smallest detail and made for absolute durability, new design icons are continuously created in Kronach. Classic design features such as the Loewe eye or the Loewe flag are merged into innovative, creative interpretations which provide magical moments in the everyday lives of our technology- and design-savvy customers..





reddot winner 2023







# Audio enjoyment. Engineered in Germany.

The unforgettable 360° entertainment experience is rounded off by Loewe audio products. Engineered in Germany, the audio products are developed, tested and continuously optimised for a natural sound sensation by in-house technical specialists. This is how the sound professionals from Loewe regularly fascinate experts and sound enthusiasts.

Whether it's voluminous 360-degree soundbars, powerful TV subwoofers, multi-room speakers or smart radios: every single audio product goes through a meticulous development process in which every aspect is put through its paces. Whether it's the aethestic fabric cover specially developed for speakers, unique wireless connection technologies or designs that save up to 50 percent of space - every Loewe audio product is a master of its trade.

### For your home cinema.

Create your own personal home cinema with Loewe TV and audio products: combine your favourite soundbar, multi-room speaker and subwoofer with your TV and create a sound stage in your home that is second to none. Enjoy immersive 360-degree sound as if you were in the middle of the action - or listen to your favourite music across multiple rooms with our convenient Multiroom solutions.

Loewe klang bar5 mr & klang sub5	26
Loewe klang bar3 mr	28
Loewe home.cinema set	30
Loewe klang sub1	32
Loewe <b>multi.room amp</b>	34
Loewe <b>klang mr</b>	36
Loewe <b>klang s</b>	38
Loewe radio.frequency	40

### Loewe klang bar5 mr & klang sub5

# Realistic surround sound of the third dimension.

Don't miss a word. Superior speech quality.

The pure joy of sound. Vibration-free subwoofer.

Versatile. Streaming & multiroom setup. Expandable without limits.
HDMI & Auto Remote Control Sync.

Stylish living ambience. Elegant and compact design.

Perfect to combine. Ideal with Loewe klang mr.





## Authentic 3D audio experience. Dolby Atmos.

The ultimate multiroom sound system for your home is guaranteed by the Loewe soundbar klang bar5 mr with 440 watt of total music power with the klang sub5 subwoofer with 360 watt of total music power and extension options of multiple wireless speakers. This true Loewe all-rounder offers premium cinema sound as well as versatile music streaming with just one device, while the compact, space-saving design blends seamlessly into any room.

The 5.1.2 Dolby Atmos and DTS:X technology ensure a fascinatingly realistic 3D sound experience as in the cinema.

# Powerful entertainment. Captivating sound.

Equipped with DTS Play-Fi, Google Chromecast and Apple AirPlay 2, the soundbar and subwoofer are instantly pairable with other devices, which makes it easy to stream music from any source. This as well as the elegant, timeless Loewe look elevate the set to an absolute must-have for music and film enthusiasts. Two up firing plus two side firing speakers guarantee realistic 3D surround sound by reflections from the wall and ceiling. The two left and right center speakers, the harmonic tuned subwoofer with two 6-inch active speakers, four passive radiators and 800 watts of total music power provide additional power and put you in the middle of action.







-

### Loewe klang bar3 mr

## Powerful sound giant.

Upgrade to a 5.1 system. Wireless with three centre speakers.

Classic sound enjoyment. AVR connection function.

Echo-free 3D sound experience. Best WDAL 2.0 technology.

Audio enjoyment everywhere. Thanks to multi-room functionality.





### Powerful. 3.1 System Engineered in Germany.

The all-rounder among the soundbars: The powerful 3.1 soundbar Loewe klang bar3 mr shines with an all-round package for almost every area of application. On its own, the device shines with 360 watts of total music power as well as an excellent 3D sound experience thanks to Dolby Atmos. Enjoy immersive, echo and delay-free 360-degree sound with first-class speech intelligibility and voluminous cinema sound, thanks to a forward-facing left, right and centre speaker supported by two integrated subwoofers.

German engineering enables the klang bar3 mr to connect additional front and rear speakers via wireless and latency-free WDAL 2.0 technology (Loewe Wireless Digital Audiolink 2.0). Adding front speakers, the klang bar3 mr then switches the left and right speakers to centre speakers, enabling even better speech intelligibility. Thanks to the AVR connections there is no need for an additional, expensive adapter if older Loewe and thirdbrand active speakers or active amplifiers, which require a cable connection, shall be integrated into the sound system. Do you prefer audio enjoyment in all your rooms? That is no problem with the Loewe klang bar3 mr either. Thanks to the Multiroom function the device couples wirelessly with the Loewe klang mr across different rooms.





### Loewe home.cinema set

## The ultimate home cinema.

Complete system with soundbar, subwoofer and surround speaker.

Multi-channel home cinema thanks to Loewe klang mr speakers.

Ready to play immediately via radio thanks to preconfigured plug & play.

Authentic 3D audio experience. Dolby Atmos Soundbar.

Pure sound experience. Vibrationless subwoofer.

Versatile use. Streaming & Multiroom Setup.





### Complete home cinema package. Set it up, switch it on and enjoy.

The ultimate home cinema sound system for your home - guaranteed by the Loewe soundbar in a set with subwoofer and the four wireless speakers. The Loewe home.cinema set offers first-class cinema sound and versatile music streaming in one. At the same time, the 5.1.2 Dolby Atmos and DTS:X technology inspire with immersive 3D sound experience with surround speakers - just like in the cinema. This and the elegant, timeless

Loewe look make the Loewe home cinema set, consisting of Loewe klang bar5 mr & Loewe subwoofer klang sub5 and four wireless active speakers for multi-channel surround sound, an absolute must-have for music and movie enthusiasts.

<del>-</del>



### Loewe klang sub1

# Compact powerhouse. The first subwoofer with wireless TV connection.

Maximum compatibility. For almost all TVs.

Wireless sound enjoyment. Latency-free Bluetooth pairing.

Instant audio enjoyment. Simplest plug-and-play.

Dynamic and powerful. Upgrade to a 2.1 system.

Discover a 2.1 audio system with full bass due to 160 watt of total music power for a more dynamic sound. The unique feature of latency-free Bluetooth connection allows you to pair the compact subwoofer with your TV. The result is a perfectly balanced sound experience for maximum listening pleasure without sound delay, annoying buzzing and disturbing wires between the subwoofer and TV.

Due to the simplest plug-and-play installation, the Loewe klang sub1 is immediately ready for use with any Loewe television from the SL3 series onwards – for the ultimate in audio enjoyment. Small size, big performance: thanks to the innovative audio technology inside, the Loewe klang sub1 is only half the size of devices with a conventional subwoofer design. This means that this space-saving powerhouse fits perfectly into smaller living rooms without any kind of vibration. By the way, if you own a non-Loewe TV with a regulated audio output, it is possible to connect the Loewe klang sub1 to it.





### Loewe multi.room amp

# The new world of connectivity. Expand your sound system.

Multiple use cases.

For music enthusiast and professionals.

Powerful sound.

With up to 1.200 watts.

Award-winning design. With clear distinction.

Compact size. Fitting everywhere.

Expandable ecosystem.
With Loewe klang mr products.

Easy usability.

Including remote control.





## Powerful stereo amplifier for multi-room and home cinema installations.

The Loewe multi.room amp makes your existing speakers smarter. It empowers your passive and active Hi-Fi speakers with a total music power of 1,200 watt and 4 ohms. With the Loewe multi.room amp you can seamlessly connect your speakers through Apple AirPlay, Google Cast, DTS Play-Fi, Spotify Connect and Bluetooth to distribute your favorite audio content. Whether it's music, podcasts, or audiobooks, stream from your smartphone to your speakers throughout your entire home, regardless of your preferred streaming service.

Furthermore, you can connect beloved digital or analog music sources, such as a CD player or turntable, using the analog cinch inputs to expand your smart audio system.

When you connect the Loewe multi.room amp to your TV, you'll unlock the ultimate home cinema experience. You can effortlessly pair any speaker with your Loewe home.cinema system, wirelessly and with no latency. It's your versatile, all-inone smart amplifier.







 $^{34}$   $^{-}$ 

### Loewe klang mr

# Pure wireless audio enjoyment in all rooms.

Unlimited music enjoyment. HD sound & access to streaming services.

Save and play your favorites with a simple tap on the glass touch panel.

Simple voice control. With Smart Home. Wireless multichannel connectivity. WDAL 2.0.

Room-filling sound due to integrated subwoofer (klang mr3 / klang mr5 only)





# Multiple music streaming in any room. With DTS Play-Fi for easy music streaming.

Enjoy the total audio experience – anytime, in any room and always with breathtaking sound. The Loewe klang mr1, klang mr3 and klang mr5 multiroom speakers stream in high resolution with 30, 150, and 180 watts of total music power. Musical pleasure wherever you want it.

Whether music, podcasts, audio books from streaming services, Internet radio or your own playlists, let yourself be inspired by wireless playback with one or more speakers connected via your network and Bluetooth and excellent sound quality. With your new multiroom system, you can experience outstanding sound ambience in every corner of your home thanks to the satisfyingly simple, harmonious interaction of several speakers. They are also the perfect complement for the Loewe klang bar5 mr. The high-quality design of the Loewe klang mr multiroom speakers is thereby made for a sophisticated living ambience.









### Loewe **klang s**

# Unique sound experience for most diverse audio demands.

Full digital music variety thanks to Internet streaming.

Sensual listening experience. DAB+ and powerful sound. Comfortable operation from anywhere. With 3.2" display or app.

Even more music enjoyment. Integrated CD drive. (klang s3 only)





Whether listening to the radio from international and local stations, streaming music services or playing playlists, the compact Loewe klang s1 and klang s3 internet radios with DAB/DAB+ tuner, USB-MP3 playback and 80/120 watts of total music power never fails to impress. The outstanding network and Bluetooth speakers as well as the latest state-of-the-art technology create a distinctive and captivating sound experience. Moreover, the extraordinary design of this luxurious sound classic blends seamlessly into an upscale living ambience and inspires discerning music lovers.







-

### Loewe radio.frequency

# Our anniversary sound miracle. Unique natural oak.

100 years Loewe.100 years radio history.

Unique radio design with natural oak inlays.

Independent audio enjoyment with full 28 watts sound.

Easiest operation anywhere. With up to 14 hours playtime.

Easy to operate with 2,6" LCD display.

Alarm and snooze function.





# Portable DAB+ radio with 28 watts total music power.

To mark the 100th anniversary of the founding of Radio Frequenz GmbH in Berlin by the Loewe brothers and as a reminder of their first radio, the legendary Loewe local receiver OE 333 with triple tube, the Loewe radio.frequency offers state-of-the-art technology and the simplest operation in the smallest space. The DAB + radio offers a timeless design language with its selected materials such as the acoustic fabric specially developed by Loewe in the Loewe system colour basalt grey. With its natural Canadian oak inlays, a unique design is established by the natural structure of the wood. Independent radio or sound enjoyment anytime and anywhere with 28 watts sound. Thanks to the integrated alarm and snooze function, the radio is ideal for use as a convenient alarm clock.



40 —



## It's We. time!

This is television for all those who want to cheer on, learn, fight, stream, play and enjoy. For the perfect balance between high-tech and slow-down. For a new perspective on what really drives you. For you. WE. SEE is made for your individual feel-good programme and is always perfectly in tune with what you need: inspiration, innovation or concentration.

Show style - with the We. HEAR and experience what great design is about: the unusually rounded shape of the Bluetooth speaker makes your music even more fun thanks to the intuitive operation and the special acoustic fabric. High-quality materials emphasise the high-quality and modern look of this special Bluetooth speaker. The design has already impressed the two juries of the iF Design Award and the RedDot Award.

 We. SEE
 44

 We. HEAR
 46









We. SEE

# Beautiful from every angle.

360 degree design simply well thought through.

High-quality ULTRA-HD technology. For a picture that's fun to watch.

Superior sound experience with Dolby Atmos and Bluetooth.

Video and music on demand content available right away.





### It's We. time!

In terms of technology, the range uses the latest generation of high-quality LED panels in 32, 43, 50 and 55 inch sizes.

Ultra High Definition with the latest HDR ensures a brilliant TV experience on the larger models from 43 inches upwards. In line with the usage behaviour of the target group, Loewe has pre-installed apps from leading streaming providers such as Netflix, YouTube and Amazon Prime on all televisions from the new brand. With the new TV models, we place great importance to a modern design in three fresh colour options and a high-quality selection of materials, which has won an iF Gold Award. The coloured rear panel gives the We. SEE an all-round attractive and unique 360° design. An integrated table stand and intelligent cable management round off the overall concept of the new generation of TVs.



-



We. HEAR

# Four colours, two sizes.

German engineering for the best sound experience.

Award winning look designed in Germany.

Four inspiring colours for all your facets

Always ready with up to 17 hours battery life.

Your outdoor companion light weight and IPX6 certified.





### Your music companion.

Bluetooth speakers for use at home or on the move. The two speakers We. HEAR 1 and We. HEAR 2, in a clever design and the four fresh colour options Aqua Blue, Coral Red, Cool Grey and Storm Grey. The colour coordination goes beyond the different materials and impresses with great attention to detail. The clear design language is emphasised by the high-quality acoustic fabric, which is also suitable for outdoor use thanks to its IPX6 splash protection. With up to 17 hours of battery life, your favourite playlist can run up and down for hours. If you want to benefit from double the music enjoyment, you can connect the two speakers together wirelessly in party mode.





We. HEAR 1

We. HEAR 2

46 —



10	∩ h	nı	C 2		ata
15	611		La	ı	аца

Loewe iconic	iconic v.65	iconic v.55	iconic i.65	iconic i.55
Image				
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB Pixel)	OLED (WRGB Pixel)	OLED (WRGB Pixel)	OLED (WRGB Pixel)
Screen diagonal (cm/inch) / Response time (ms)	164 / 65 / 1	139 / 55 / 1	164/65/1	139/55/1
	900 / 120°	900 / 120 °	900 / 120 °	900 / 120 °
Panel luminance <sup>1</sup> (cd/m <sup>2</sup> ) / Viewing angle (h/v)				
Ultra HD scaling / Image+ Active / Adaptive Contrast / 24p	•/•/-/•	•/•/-/•	•/-/•/•	•/-/•/•
HDR (HLG / HDR10 / Dolby Vision™) / WCG	•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
Auto-dimming interior (OPC) / Ambient brightness control	•/•	•/•	•/•	•/•
Receiption				
DVB-T2/C/S2 HD / Multi ATV / Unicable / Dual Channel	• <sup>2A</sup> / • / • / •	• <sup>2A</sup> / • / • / •	• <sup>2B</sup> / • / • / —	• <sup>2B</sup> / • / • / —
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
DiSEqC / Sat over IP / DVB-C over IP / DVB radio	•/•/•/•	0/0/0/0	•/-/-/•	•//-
•		•/•/•/•	•/=/=/•	•/=/=/•
Audio				
Output (watts sine / music) / driver (active + passive)	180/360/9	180/360/9	180/360/9	180/360/9
Acoustic speaker concept	klang bar3 mr	klang bar3 mr	klang bar3 mr	klang bar3 mr
Magic moment / front firing / down firing / 2-channel crossover	_ / • / — / • active	_ / • / — / • active	_ / • / — / • active	_ / • / — / • active
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	via bild v: •/•/-/-	via bild v: • / • / • / − / −	via bild i: •/•/•/•	via bild i: ●/●/●/●/●
			via bild i: •/•/-	
Class-D amp / Auto Volume (AVC) / Mimi Sound Personalization	via bild v: ●/●/●	via bild v: ●/●/●		via bild i: ●/●/—
ndividual bass and treble control / Loudness	via bild v: ●/●	via bild v: ● / ●	via bild i: 7-Band EQ / —	via bild i: 7-Band EQ / —
Operation				
Loewe chassis / os / home screen (incl. favorites)	SL5/os6/•	SL5/os6/•	SL7/os7/•	SL7/os7/•
Vidaa app / my Loewe app (all: Android + iOS)	-/•	-/•	●/●	●/●
Alexa skills / Vidaa voice		•/-	•/•	•/•
	•/-			
Electronic Program Guide / EPG key word search	•/•	•/•	•/-	•/-
Mediatext (HbbTV) / Teletext / page memory	•/•/2.000	•/•/2.000	• / • / 792	●/●/792
Menu languages / Context related help	● <sup>3A</sup> / ●	● <sup>3A</sup> / ●	● <sup>3B</sup> / ●	● <sup>3B</sup> / ●
Parental Lock / Automatic turn-off / Timer	•/•/•	•/•/•	•/•/•	•/•/•
Instant Channel Zapping / Quick Start Mode	•/•	•/•	<b>-/•</b>	<b>-/•</b>
Number of stations in channel list incl. AV and radio	6.000	6.000	10.000	10.000
PIP (AV) <sup>4</sup> / Full PIP / Splitscreen TV:Videotext	•/•/•	•/•/•	-/-/•	-/-/•
Software update (via USB / Internet)	•/•	•/•	•/•	•/•
Hotel Mode (Standard / CEC / IP / RS232)	•/•/•/•	0/0/0/0	•/-/-/-	•/-/-/-
		•/•/•/•	•/-/-/-	•/=/=/=
Multimedia				
Loewe dr+: storage capacity (GB) / USB recording / timeshift	1.000/•/•	1.000/•/•	1.000/-/•	1.000/-/•
Loewe dr+: streaming server / client / follow-me	•/•/•	•/•/•	-/•/-	_
Multi Recording / Radio Recording	•/•	•/•		_
Music player / Photo player / Video player <sup>5</sup>	•/•/•	•/•/•	•/•/•	•/•/•
		•/•		•/•
Digital Media Renderer (incl. Ultra HD) / Bluetooth music player	•/•		•/•	
Internet apps / internet browser / internet radio	•/•/• (incl. search)	• / • / • (incl. search)	• / • / • (via radio app)	• / • / • (via radio app)
YouTube / Amazon prime video / Netflix / Disney+ / Apple tv+	•/•/-/-	•/•/-/-	•/•/•/•	•/•/•/•
Connectivity and Interfaces				
		4 110141001	4 x HDMI	4 x HDMI
	4 x HDMI 2 Oh			
HDMI	4 x HDMI 2.0b	4 x HDMI 2.0b		
HDMI ALLM / VRR / UHD 60 Hz	_	_	●/● (FHD 60Hz)/●	• / • (FHD 60Hz) / •
HDMI ALLM / VRR / UHD 60 Hz HDCP 2.2 / HDMI-CEC / ARC / eARC	<u> </u>	<b>-</b> •/•/•/-	•/•(FHD 60Hz)/• •/•/•/•	•/•(FHD 60Hz)/• •/•/•/•
HDMI ALLM / VRR / UHD 60 Hz HDCP 2.2 / HDMI-CEC / ARC / eARC USB			•/•(FHD 60Hz)/• •/•/•/• 4(2 x USB 3.0)	•/• (FHD 60Hz)/• •/•/•/• 4(2 x USB 3.0)
HDMI ALLM / VRR / UHD 60 Hz HDCP 2.2 / HDMI-CEC / ARC / eARC USB Bluetooth / screen mirroring (Miracast) / AirPlay	- •/•/- 3(2×USB 3.0) •/•/-		•/• (FHD 60Hz)/• •/•/•/• 4(2 x USB 3.0) •/•/—	•/• (FHD 60Hz)/• •/•/•/• 4(2 x USB 3.0) •/•/—
HDMI ALLM / VRR / UHD 60 Hz HDCP 2.2 / HDMI-CEC / ARC / eARC USB Bluetooth / screen mirroring (Miracast) / AirPlay LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi	- 3(2 x USB 3.0) -/- -/-	- •/•/•/- 3(2×USB 3.0) •/•/- •/•/-	•/• (FHD 60Hz)/• •/•/•/• 4(2 x USB 3.0) •/•/— •/•/—	•/• (FHD 60Hz)/• •/•/•/• 4(2 x USB 3.0) •/•/— •/•/—
HDMI  ALLM / VRR / UHD 60 Hz  HDCP 2.2 / HDMI-CEC / ARC / eARC  USB Bluetooth / screen mirroring (Miracast) / AirPlay  LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi  Antenna IEC / satellite F / CI+ 1.4 ECP certified <sup>7</sup>	- •/•/- 3(2×USB 3.0) •/•/-		•/• (FHD 60Hz)/• •/•/•/• 4(2 x USB 3.0) •/•/—	•/• (FHD 60Hz)/• •/•/•/• 4(2 x USB 3.0) •/•/—
HDMI ALLM / VRR / UHD 60 Hz HDCP 2.2 / HDMI-CEC / ARC / eARC USB Bluetooth / screen mirroring (Miracast) / AirPlay LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi Antenna IEC / satellite F / CI+ 1.4 ECP certified <sup>7</sup>	- 3(2 x USB 3.0) -/- -/-	- •/•/•/- 3(2×USB 3.0) •/•/- •/•/-	•/• (FHD 60Hz)/• •/•/•/• 4(2 x USB 3.0) •/•/— •/•/—	•/• (FHD 60Hz)/• •/•/•/• 4(2 x USB 3.0) •/•/— •/•/—
HDMI  ALLM / VRR / UHD 60 Hz  HDCP 2.2 / HDMI-CEC / ARC / eARC  USB  Bluetooth / screen mirroring (Miracast) / AirPlay  LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi  Antenna IEC / satellite F / CI+ 1.4 ECP certified <sup>7</sup> Home automation: IP / RJ12 / IR-Link <sup>8</sup> / MU motor control  Mini TOSLINK / center in (via adapter) / cube plug stereo	- 9/•/•/- 3(2×USB 3.0) •/•/- •/•/- 1/2/2		•/• (FHD 60Hz)/• •/•/•/• 4(2 USB 3.0) •/•/- 1/1/1	•/• (FHD 60Hz)/• •/•/•/• 4(2 USB 3.0) •/•/— 1/1/1
HDMI ALLM / VRR / UHD 60 Hz HDCP 2.2 / HDMI-CEC / ARC / eARC USB Biluetooth / screen mirroring (Miracast) / AirPlay LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi Antenna IEC / satellite F / CI+ 1.4 ECP certified <sup>7</sup> Home automation: IP / RJ12 / IR-Link <sup>8</sup> / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo	- 3(2xUSB 3.0) •/•/- •/•/- 1/2/2 •/•/- •/•/-	3(2xUSB 3.0)  •/•/-  •/•/-  1/2/2  •/•/-  •/•/-	•/• (FHD 60Hz)/• •/•/•/• 4(2 x USB 3.0) •/•/- •/•/- 1/1/1 •/-/ •/-/-	•/• (FHD 60Hz)/• •/•/•/• 4(2 x USB 3.0) •/•/- •/•/- 1/1/1 •/-/ •/-/-
HDMI ALLM / VRR / UHD 60 Hz HDCP 2.2 / HDMI-CEC / ARC / eARC USB Bluetooth / screen mirroring (Miracast) / AirPlay LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi Antenna IEC / satellite F / Cl+ 1.4 ECP certified? Home automation: IP / RJ12 / IR-Link® / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack)	- 3(2xUSB 3.0) •/•/- •/•/- 1/2/2 •/•/- •/•/- •/•/-	- •/•/-/- 3(2xUSB3.0) •/•/- •/•/- 1/2/2 •/•/- •/•/- •/•/-	•/• (FHD 60Hz)/•  •/•/•/• 4(2xUSB 3.0)  •/•/-  •/•/-  1/1/1  •/-/-/-  •/-/-  •/-/-	•/• (FHD 60Hz)/• •/•/•/• 4(2 x USB 3.0) •/•/- •/•/- 1/1/1 •/-/- •/-/- •/-/- •/-/-
HDMI ALLM / VRR / UHD 60 Hz HDCP 2.2 / HDMI-CEC / ARC / eARC USB Bluetooth / screen mirroring (Miracast) / AirPlay LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi Antenna IEC / satellite F / CI+ 1.4 ECP certified? Home automation: IP / RJ12 / IR-Link <sup>8</sup> / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack)	- 3(2xUSB 3.0) •/•/- •/•/- 1/2/2 •/•/- •/•/-	3(2xUSB 3.0)  •/•/-  •/•/-  1/2/2  •/•/-  •/•/-	•/• (FHD 60Hz)/• •/•/•/• 4(2 x USB 3.0) •/•/- •/•/- 1/1/1 •/-/ •/-/-	•/• (FHD 60Hz)/• •/•/•/• 4(2 x USB 3.0) •/•/- •/•/- 1/1/1 •/-/- •/-/-
HDMI  ALLM / VRR / UHD 60 Hz  HDCP 2.2 / HDMI-CEC / ARC / eARC  USB  Bluetooth / screen mirroring (Miracast) / AirPlay  LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi  Antenna IEC / satellite F / CI+1.4 ECP certified <sup>7</sup> Home automation: IP / RJI2 / IR-Link <sup>8</sup> / MU motor control  Mini TOSLINK / center in (via adapter) / cube plug stereo  Audio out control: fix / variable / sub (3.5 mm jack)  Kensington anti theft lock	- 3(2xUSB 3.0) •/•/- •/•/- 1/2/2 •/•/- •/•/- •/•/-	- •/•/-/- 3(2xUSB3.0) •/•/- •/•/- 1/2/2 •/•/- •/•/- •/•/-	•/• (FHD 60Hz)/•  •/•/•/• 4(2xUSB 3.0)  •/•/-  •/•/-  1/1/1  •/-/-/-  •/-/-  •/-/-	•/• (FHD 60Hz)/• •/•/•/• 4(2 x USB 3.0) •/•/- •/•/- 1/1/1 •/-/- •/-/- •/-/- •/-/-
HDMI ALLM / VRR / UHD 60 Hz HDCP 2.2 / HDMI-CEC / ARC / eARC USB Bluetooth / screen mirroring (Miracast) / AirPlay LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi Antenna IEC / satellite F / CI+ 1.4 ECP certified? Home automation: IP / RJ12 / IR-Link <sup>8</sup> / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock  Energy	- 0/0/0/- 3(2 x USB 3.0) 0/0/- 1/2/2 0/0/0/0 0/0/- 0/0/- 0/0/0		•/• (FHD 60Hz)/• •/•/•/• 4(2 x USB 3.0) •/•/- 1/1/1 •/-/- •/-/- •/-/- •/-/- •/-/-	•/• (FHD 60Hz)/• •/•/•/• 4(2 x USB 3.0) •/•/- 1/1/1 •/-/- •/-/- •/-/- •/-/-
HDMI ALLM / VRR / UHD 60 Hz HDCP 2.2 / HDMI-CEC / ARC / eARC USB Bluetooth / screen mirroring (Miracast) / AirPlay LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi Antenna IEC / satellite F / CI+ 1.4 ECP certified? Home automation: IP / RJ12 / IR-Link <sup>8</sup> / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock  Energy EU energy efficiency class: SDR (EEI) / HDR (EEI)	- 3(2 x USB 3.0) •/•/- 1/2/2 •/•/•/• •/•/- via bild v.65 dr+		• / • (FHD 60Hz) / • • / • / • / • 4 (2 x USB 3.0) • / • / - 1/1/1 • / - / - • / • / •  via bild i.65 dr+	•/• (FHD 60Hz)/• •/•/•/• 4(2 x USB 3.0) •/•/- 1/1/1 •/-/- •/-/- •/-/- •/-/- •/-/- •/-/- •/-/- •/-/-
HDMI ALLM / VRR / UHD 60 Hz HDCP 2.2 / HDMI-CEC / ARC / eARC USB Bluetooth / screen mirroring (Miracast) / AirPlay LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi Antenna IEC / satellite F / CI+ 1.4 ECP certified? Home automation: IP / RJJ2 / IR-Link <sup>8</sup> / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock  Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr				•/• (FHD 60Hz)/• •/•/•/• 4(2×USB 3.0) •/•/- •/•/- 1/1/1 •/-/- •/-/- •/•/• •/•/• •/indidi.55 dr+ via bildi.55 dr+
HDMI  ALLM / VRR / UHD 60 Hz  HDCP 2.2 / HDMI-CEC / ARC / eARC  USB  Bluetooth / screen mirroring (Miracast) / AirPlay  LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi  Antenna IEC / satellite F / CI+ 1.4 ECP certified?  Home automation: IP / RJ12 / IR-Link® / MU motor control  Mini TOSLINK / center in (via adapter) / cube plug stereo  Audio out control: fix / variable / sub (3.5 mm jack)  Kensington anti theft lock  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu/qr  Power switch / mains voltages AC			• / • (FHD 60Hz) / • • / • / • / • 4 (2 x USB 3.0) • / • / - 1/1/1 • / - / - • / • / •  via bild i.65 dr+	•/• (FHD 60Hz)/• •/•/•/• 4(2 x USB 3.0) •/•/- 1/1/1 •/-/- •/-/- •/-/- •/-/- •/-/- •/-/- •/-/- •/-/-
HDMI  ALLM / VRR / UHD 60 Hz  HDCP 2.2 / HDMI-CEC / ARC / eARC  USB  Bluetooth / screen mirroring (Miracast) / AirPlay  LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi  Antenna IEC / satellite F / CI+1.4 ECP certified?  Home automation: IP / RJ12 / IR-Link* / MU motor control  Mini TOSLINK / center in (via adapter) / cube plug stereo  Audio out control: fix / variable / sub (3.5 mm jack)  Kensington anti theft lock  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu/qr  Power switch / mains voltages AC				•/• (FHD 60Hz)/• •/•/•/• 4(2×USB 3.0) •/•/- •/•/- 1/1/1 •/-/- •/-/- •/•/• •/•/• •/indidi.55 dr+ via bildi.55 dr+
HDMI  ALLM / VRR / UHD 60 Hz  HDCP 2.2 / HDMI-CEC / ARC / eARC  USB  Bluetooth / screen mirroring (Miracast) / AirPlay  LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi  Antenna IEC / satellite F / CI+ 1.4 ECP certified?  Home automation: IP / RJ12 / IR-Link® / MU motor control  Mini TOSLINK / center in (via adapter) / cube plug stereo  Audio out control: fix / variable / sub (3.5 mm jack)  Kensington anti theft lock  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu/qr  Power switch / mains voltages AC  WoLAN / WoWLAN / Fast Power-On (increased consumption)				•/• (FHD 60Hz)/• •/•/•/• 4(2 x USB 3.0) •/•/- 1/1/1 •/-/- •/-/- •/-/- •/-/- •/-/- •/-/- •/-/- •/-/- •/-/- •/-/- •/-/- •/-/- 2/-/- •/-/- •/-/- •/-/- •/-/- •/-/- •/-/-
HDMI  ALLM / VRR / UHD 60 Hz  HDCP 2.2 / HDMI-CEC / ARC / eARC  USB  Bluetooth / screen mirroring (Miracast) / AirPlay  LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi  Antenna IEC / satellite F / CI+ 1.4 ECP certified?  Home automation: IP / RJ12 / IR-Link* / MU motor control  Mini TOSLINK / center in (via adapter) / cube plug stereo  Audio out control: fix / variable / sub (3.5 mm jack)  Kensington anti theft lock  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu/qr  Power switch / mains voltages AC  WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions				•/• (FHD 60Hz)/• •/•/•/• 4(2 VSB 3.0) •/•/- 1/1/1 •/-/- •/ •/ •/ •/ •
HDMI  ALLM / VRR / UHD 60 Hz  HDCP 2.2 / HDMI-CEC / ARC / eARC  USB  Bluetooth / screen mirroring (Miracast) / AirPlay  LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi  Antenna IEC / satellite F / CI+1.4 ECP certified?  Home automation: IP / RJ12 / IR-Link® / MU motor control  Mini TOSLINK / center in (via adapter) / cube plug stereo  Audio out control: fix / variable / sub (3.5 mm jack)  Kensington anti theft lock  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu/qr  Power switch / mains voltages AC  WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  Weight (approx. kg) excl. / incl. standard setup solution			• / • (FHD 60Hz) / • • / • / • / • / • / • / • / • / • /	•/• (FHD 60Hz)/• •/•/•/• 4(2 VJSB 3.0) •/•/- 1/1/1 •/-/- •/-/- •/-/-  via bild i.55 dr+ via bild i.55 dr+ via bild i.55 dr+ •/-/-  n.a./65,7
HDMI  ALLM / VRR / UHD 60 Hz  HDCP 2.2 / HDMI-CEC / ARC / eARC  USB  Bluetooth / screen mirroring (Miracast) / AirPlay  LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi  Antenna IEC / satellite F / CI+1.4 ECP certified?  Home automation: IP / RJ12 / IR-Link® / MU motor control  Mini TOSLINK / center in (via adapter) / cube plug stereo  Audio out control: fix / variable / sub (3.5 mm jack)  Kensington anti theft lock  Energy  EPREL registration No.: https://eprel.ec.europa.eu/qr  Power switch / mains voltages AC  WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  Weight (approx. kg) excl. / incl. standard setup solution				•/• (FHD 60Hz)/• •/•/•/• 4(2 VJSB 3.0) •/•/- 1/1/1 •/-/- •/-/- •/-/-  via bild i.55 dr+ via bild i.55 dr+ via bild i.55 dr+ •/-/-  n.a./65,7
HDMI  ALLM / VRR / UHD 60 Hz  HDCP 2.2 / HDMI-CEC / ARC / eARC  USB  Bluetooth / screen mirroring (Miracast) / AirPlay  LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi  Antenna IEC / satellite F / CI+1.4 ECP certified?  Home automation: IP / RJ12 / IR-Link* / MU motor control  Mini TOSLINK / center in (via adapter) / cube plug stereo  Audio out control: fix / variable / sub (3.5 mm jack)  Kensington anti theft lock  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu/qr  Power switch / mains voltages AC  WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  Weight (approx. kg) excl. / incl. standard setup solution  W* x H x D (approx. cm) incl. table stand (* incl. signature flag)			• / • (FHD 60Hz) / • • / • / • / • / • / • / • / • / • /	•/• (FHD 60Hz)/• •/•/•/• 4(2 VJSB 3.0) •/•/- 1/1/1 •/-/- •/-/- •/-/-  via bild i.55 dr+ via bild i.55 dr+ via bild i.55 dr+ •/-/-  n.a./65,7
HDMI  ALLM / VRR / UHD 60 Hz  HDCP 2.2 / HDMI-CEC / ARC / eARC  USB  Bluetooth / screen mirroring (Miracast) / AirPlay  LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi  Antenna IEC / satellite F / CI+1.4 ECP certified?  Home automation: IP / RJ12 / IR-Link* / MU motor control  Mini TOSLINK / center in (via adapter) / cube plug stereo  Audio out control: fix / variable / sub (3.5 mm jack)  Kensington anti theft lock  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu/qr  Power switch / mains voltages AC  WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  Weight (approx. kg) excl. / incl. standard setup solution  W* x H x D (approx. cm) incl. table stand (* incl. signature flag)  Scope of Delivery				
HDMI ALLM / VRR / UHD 60 Hz HDCP 2.2 / HDMI-CEC / ARC / eARC USB Bluetooth / screen mirroring (Miracast) / AirPlay LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi Antenna IEC / satellite F / CI+ 1.4 ECP certified? Home automation: IP / RJ12 / IR-Link® / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock  Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / mains voltages AC WoLAN / WoWLAN / Fast Power-On (increased consumption) Dimensions  W* X H x D (approx. kg) excl. / incl. standard setup solution W* X H x D (approx. cm) incl. table stand (* incl. signature flag) Scope of Delivery Speaker				
HDMI  ALLM / VRR / UHD 60 Hz  HDCP 2.2 / HDMI-CEC / ARC / eARC  USB  Bluetooth / screen mirroring (Miracast) / AirPlay  LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi  Antenna IEC / satellite F / CI+ 1.4 ECP certified?  Home automation: IP / RJ12 / IR-Link® / MU motor control  Mini TOSLINK / center in (via adapter) / cube plug stereo  Audio out control: fix / variable / sub (3.5 mm jack)  Kensington anti theft lock  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu/qr  Power switch / mains voltages AC  WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  W* x H x D (approx. kg) excl. / incl. standard setup solution  W* x H x D (approx. cm) incl. table stand (* incl. signature flag)  Scope of Delivery  Speaker  Setup Solution / rotate-able				
HDMI  ALLM / VRR / UHD 60 Hz  HDCP 2.2 / HDMI-CEC / ARC / eARC  USB  Bluetooth / screen mirroring (Miracast) / AirPlay  LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi  Antenna IEC / satellite F / CI+ 1.4 ECP certified?  Home automation: IP / RJ12 / IR-Link® / MU motor control  Mini TOSLINK / center in (via adapter) / cube plug stereo  Audio out control: fix / variable / sub (3.5 mm jack)  Kensington anti theft lock  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu/qr  Power switch / mains voltages AC  WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  Weight (approx. kg) excl. / incl. standard setup solution  W* x H x D (approx. cm) incl. table stand (* incl. signature flag)  Scope of Delivery  Secup Solution / rotate-able  Remote control (incl. batteries)				
HDMI  ALLM / VRR / UHD 60 Hz  HDCP 2.2 / HDMI-CEC / ARC / eARC  USB  Bluetooth / screen mirroring (Miracast) / AirPlay  LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi  Antenna IEC / satellite F / CI+ 1.4 ECP certified?  Home automation: IP / RJ12 / IR-Link® / MU motor control  Mini TOSLINK / center in (via adapter) / cube plug stereo  Audio out control: fix / variable / sub (3.5 mm jack)  Kensington anti theft lock  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu/qr  Power switch / mains voltages AC  WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  Weight (approx. kg) excl. / incl. standard setup solution  W* x H x D (approx. cm) incl. table stand (* incl. signature flag)  Scope of Delivery  Secup Solution / rotate-able  Remote control (incl. batteries)				
HDMI  ALLM / VRR / UHD 60 Hz  HDCP 2.2 / HDMI-CEC / ARC / eARC  JSB  Bluetooth / screen mirroring (Miracast) / AirPlay  LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi  Antenna IEC / satellite F / CI+ 1.4 ECP certified?  Home automation: IP / RJ12 / IR-Link® / MU motor control  Mini TOSLINK / center in (via adapter) / cube plug stereo  Audio out control: fix / variable / sub (3.5 mm jack)  Kensington anti theft lock  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu/qr  Power switch / mains voltages AC  WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  Weight (approx. kg) excl. / incl. standard setup solution  W* X H x D (approx. cm) incl. table stand (* incl. signature flag)  Scope of Delivery  Speaker  Setup Solution / rotate-able  Remote control (incl. batteries)  Manual / power cord				
HDMI  ALLM / VRR / UHD 60 Hz  HDCP 2.2 / HDMI-CEC / ARC / eARC  JSB  Bluetooth / screen mirroring (Miracast) / AirPlay  LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi  Antenna IEC / satellite F / CI+ 1.4 ECP certified?  Home automation: IP / RJ12 / IR-Link³ / MU motor control  Mini TOSLINK / center in (via adapter) / cube plug stereo  Audio out control: fix / variable / sub (3.5 mm jack)  Kensington anti theft lock  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu/qr  Power switch / mains voltages AC  WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  Weight (approx. kg) excl. / incl. standard setup solution  W* x H x D (approx. cm) incl. table stand (* incl. signature flag)  Scope of Delivery  Speaker  Setup Solution / rotate-able  Remote control (incl. batteries)  Manual / power cord  Others				
HDMI  ALLM / VRR / UHD 60 Hz  HDCP 2.2 / HDMI-CEC / ARC / eARC  JSB  Bluetooth / screen mirroring (Miracast) / AirPlay  LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi  Antenna IEC / satellite F / CI+ 1.4 ECP certified?  Home automation: IP / RJ12 / IR-Link® / MU motor control  Mini TOSLINK / center in (via adapter) / cube plug stereo  Audio out control: fix / variable / sub (3.5 mm jack)  Kensington anti theft lock  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu/qr  Power switch / mains voltages AC  WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  Weight (approx. kg) excl. / incl. standard setup solution  W* X H x D (approx. cm) incl. table stand (* incl. signature flag)  Scope of Delivery  Speaker  Setup Solution / rotate-able  Remote control (incl. batteries)  Manual / power cord  Others  Optional accessories				
HDMI ALLM / VRR / UHD 60 Hz HDCP 2.2 / HDMI-CEC / ARC / eARC USB Bluetooth / screen mirroring (Miracast) / AirPlay LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi Antenna IEC / satellite F / CI+ 1.4 ECP certified? Home automation: IP / RJJ2 / IR-Link <sup>8</sup> / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock  Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr				
HDMI  ALLM / VRR / UHD 60 Hz  HDCP 2.2 / HDMI-CEC / ARC / eARC  USB  Bluetooth / screen mirroring (Miracast) / AirPlay  LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi  Antenna IEC / satellite F / CI+ 1.4 ECP certified?  Home automation: IP / RJ12 / IR-Link³ / MU motor control  Mini TOSLINK / center in (via adapter) / cube plug stereo  Audio out control: fix / variable / sub (3.5 mm jack)  Kensington anti theft lock  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu/qr  Power switch / mains voltages AC  WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  Weight (approx. kg) excl. / incl. standard setup solution  W* X H x D (approx. cm) incl. table stand (* incl. signature flag)  Scope of Delivery  Speaker  Setup Solution / rotate-able  Remote control (incl. batteries)  Manual / power cord  Others  Optional accessories				
HDMI  ALLM / VRR / UHD 60 Hz  HDCP 2.2 / HDMI-CEC / ARC / eARC  JSB  Bluetooth / screen mirroring (Miracast) / AirPlay  LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi  Antenna IEC / satellite F / CI+ 1.4 ECP certified?  Home automation: IP / RJ12 / IR-Link® / MU motor control  Mini TOSLINK / center in (via adapter) / cube plug stereo  Audio out control: fix / variable / sub (3.5 mm jack)  Kensington anti theft lock  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu/qr  Power switch / mains voltages AC  WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  Weight (approx. kg) excl. / incl. standard setup solution  W* X H x D (approx. cm) incl. table stand (* incl. signature flag)  Scope of Delivery  Speaker  Setup Solution / rotate-able  Remote control (incl. batteries)  Manual / power cord  Others  Optional accessories				

• = included/installed — = not included / possible

according to panel spec typ. values @ HDR 10%

2N Receiption of DVB-T2 HD only in selected countries, may be limited by individual regulations from the respective provider.

3N de - en - fr - it - es - nl - cs - el - pl - hu - fi - sl - sk - tr - sv - da - pt - ru - no - zh - ko - hr - sr - he

4) AV-PIP is only available in combination with DVB-T/C/S.
5) Via home network and USB.
7) CI Plus (CI+) is backwards compatible to CI, functionality depends on module availability from supplier
8) Only in conjunction with adapter (to be ordered separatel) and selected devices (RCS, 36 kHz)

All product and company names are trademarks  $^{\text{M}}$  or registered  $^{\text{0}}$  trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them.

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service offers are all handled individually.

### **Technical Data**

I newe hild s

Loewe bild s	77 dr+
Image	
Screen resolution (pixels)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)
Screen diagonal (cm/inch) / Response time (ms)	195 / 77 / 1
Panel luminance <sup>1</sup> (cd/m <sup>2</sup> ) / Viewing angle (h/v)	900 / 120°
Ultra HD scaling / Image+ Active / Adaptive Contrast / 24p	●/●/─/●
HDR (HLG / HDR10 / Dolby Vision™) / WCG	•/•/•
Auto-dimming interior (OPC) / Ambient brightness control	•/•
Receiption	
DVB-T2/C/S2 HD / Multi ATV / Unicable / Dual Channel	● <sup>2A</sup> / ● / ● / ●
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	
Sat over IP / DVB-C over IP / DVB radio	•/•
Audio	
Output (watts sine / music) / driver (active + passive)	2 x 30 / 2 x 60 / 10
Acoustic speaker concept	closed bar + passive membranes
Magic moment / front firing / down firing / 2-channel crossover  Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	<u> </u>
Class-D amp / Auto Volume (AVC) / Mimi Sound Personalization	•/•/•
Individual bass and treble control / Loudness	•/•
Operation	
•	CLE / C / ·
Loewe chassis / os / home screen (incl. favorites)  Vidaa app / my Loewe app (all: Android + iOS)	SL5/os6/• -/•
Voice control by Alexa skills / Vidaa voice	<u> </u>
Electronic Program Guide / EPG key word search	•/•
Mediatext (HbbTV) / Teletext / page memory	●/ ● / 2.000
Menu languages / Context related help	• 3A / •
Parental Lock / Automatic turn-off / Timer	●/●/●
Instant Channel Zapping / Quick Start Mode	•/•
Number of stations in channel list incl. AV and radio	6.000
PIP (AV) <sup>4</sup> / Full PIP / Splitscreen TV:Videotext Software update (via USB / Internet)	
Hotel Mode (Standard / CEC / IP / RS232)	•/•
	<b>0</b> /0/0/0
Multimedia	0.000 (0.00) ( (
Loewe dr+: storage capacity (GB) / USB recording / timeshift	2.000 (SSD) / • / • • / • / •
Loewe dr+: streaming server / client / follow-me  Multi Recording / Mobile Recording / Radio Recording	•/•/• •/•/•
Music player / Photo player / Video player <sup>5</sup>	•/•/•
Digital Media Renderer (incl. Ultra HD) / Bluetooth music player	•/•
Internet apps / Internet browser / Internet radio	• / • / • (incl. search)
YouTube / Amazon prime video / Netflix / Disney+	•/•/-/-
Connectivity and Interfaces	
HDMI 2.0b / HDMI 2.16	4 x HDMI 2.0b
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/—
USB / Bluetooth / screen mirroring (Miracast)	3 (2 x USB 3.0) / • / •
LAN network connection / WLAN (Wi-Fi) integrated	<u> </u>
Antenna IEC / satellite F / CI+ 1.4 ECP certified <sup>7</sup>	1/2/2
Home automation: IP / RJ12 (RS232C) / IR-Link <sup>8</sup> / MU motor control	●/•/•/ ●/•/—
Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack)	•/•/-
Kensington anti theft lock	•
Energy	<u> </u>
	E (0.770) (5 (0.550)
EU energy efficiency class: SDR (EEI) / HDR (EEI)  EPREL registration No.: https://eprel.ec.europa.eu/qr	F (0,779) / E (0,650) 1257180
Power switch / mains voltages AC	• / 220-240V, 50/60 Hz
WoLAN / WoWLAN / Fast Power-On (increased consumption)	•/•/—
Energy consumption SDR / HDR (kWh/1000h)	117 / 108
Dimensions	
Weight (approx. kg) excl. / incl. standard setup solution	39,3 / 41,5 (wall mount 7)
W* x H x D (approx. cm) without setup solution (* incl. signature flag)	173,1 x 102,3 x 7,3
W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)	173,1 x 102,3 x 7,3 173,1 x 102,3 x 11,6 (wall mount 7)
W* x H x D (approx. cm) incl. table stand (* incl. signature flag)	173,1 x 108,0 x 39,6
VESA support	
Scope of Delivery	
Speaker	klang bar s.77 (magic moment)
Setup Solution / rotate-able	wall mount WM7 / -
Remote control (incl. batteries)	Loewe assist graphite grey (2x AAA)
Manual / power cord	• / • (2,5 m)
Others	Apple TV 4K
Optional accessories	
Selection of recommended setup solutions and audio systems	smart cover s.77
oblevation of recommended setup solutions and additions systems	table stand motor s.77
	floor stand motor s.77
	floor stand motor v

• = included/installed — = not included / possible

<sup>5)</sup> Via home network and USB
<sup>6)</sup> eARC, ALLM, VRR FHD 48-60 Hz, 4K @ 60 Hz, 18 Gb/s
<sup>7)</sup> CI Plus (CI+) is backwards compatible to CI, functionality depends on module availability from supplier
<sup>8)</sup> Only in conjunction with adapter (to be ordered separatel) and selected devices (RC5, 36 kHz)

All product and company names are trademarks. or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them.

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service offers are all handled individually.

Loewe bild v	65 dr+	55 dr+	55 HD+	55
Image				
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm/inch) / Response time (ms)	164/65/1	139 / 55 / 1	139 / 55 / 1	139 / 55 / 1
Panel luminance <sup>1</sup> (cd/m <sup>2</sup> ) / Viewing angle (h/v)	900 / 120°	900 / 120°	900 / 120°	900 / 120°
Ultra HD scaling / Image+ Active / Adaptive Contrast / 24p	•/•/-/•	•/•/-/•	•/•/-/•	•/•/-/•
HDR (HLG / HDR10 / Dolby Vision™) / WCG	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
Auto-dimming interior (OPC) / Ambient brightness control	•/•	•/•	•/•	•/•
Receiption				
DVB-T2/C/S2 HD / Multi ATV / Unicable / Dual Channel	• <sup>2A</sup> / • / • / •	• <sup>2A</sup> / • / • / •	• 2A/ • / • / •	• <sup>2A</sup> / • / • / •
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
Sat over IP / DVB-C over IP / DVB radio	•/•/•	•/•/•	•/•/•	•/•/•
		0,0,0	0,0,0	
Audio				
Output (watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 6	2 x 20 / 2 x 40 / 6	2 x 20 / 2 x 40 / 6	2 x 20 / 2 x 40 / 6
Acoustic speaker concept	speaker box + bass reflex	speaker box + bass reflex	speaker box + bass reflex	speaker box + bass reflex
Magic moment / front firing / down firing / 2-channel crossover	<u>-</u> -, / • / − / •	<b>-</b> · / • / <b>-</b> · / •	<b>-</b> 1/•/ <b>-</b> 1/•	<b>-/•/-/•</b>
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/-/-	•/•/•/-/-	•/•/•/-/-	•/•/•/-/-
Class-D amp / Auto Volume (AVC) / Mimi Sound Personalization	•/•/•	•/•/•	•/•/•	•/•/•
Individual bass and treble control / Loudness	•/•	•/•	•/•	•/•
Operation				
Loewe chassis / os / home screen (incl. favorites)	SL5/os6/●	SL5/os6/•	SL5/os6/•	SL5/os6/•
VIDAA app / my Loewe app (all: Android + iOS)	-/•	-/•	-/•	-/•
Voice control by Alexa skills / Vidaa voice	<u>-/•</u>	-/• •/-	•/-	•/-
Electronic Program Guide / EPG key word search	•/-	•/-	•/-	•/-
Mediatext (HbbTV) / Teletext / page memory	•/•/2.000	•/•/2.000	•/•/2.000	•/•/2.000
Menu languages / Context related help	• 3A / •	● <sup>3A</sup> / ●	● <sup>3A</sup> / ●	• <sup>3A</sup> / •
Parental Lock / Automatic turn-off / Timer	•/•/•	•/•/•	•/•/•	
Instant Channel Zapping / Quick Start Mode	•/•	•/•	•/•	•/•
Number of stations in channel list incl. AV and radio	6.000	6.000	6.000	6.000
PIP (AV) <sup>4</sup> / Full PIP / Splitscreen TV:Videotext	•/•/•	•/•/•	•/•/•	•/•/•
Software update (via USB / Internet)	•/•	•/•	•/•	•/•
Hotel Mode (Standard / CEC / IP / RS232)	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
Multimedia				
Loewe dr+: storage capacity (GB) / USB recording / timeshift	1.000/•/•	1.000 / • / •	<b>-/•/•</b>	/•/•
Loewe dr+: streaming server / client / follow-me	•/•/•	•/•/•	<b>-/•/•</b>	<b>-</b> /•/•
Multi Recording / Mobile Recording / Radio Recording	•/•/•	•/•/•	_	_
Music player / Photo player / Video player <sup>5</sup>	•/•/•	•/•/•	•/•/•	•/•/•
Digital Media Renderer (incl. Ultra HD) / Bluetooth music player	•/•	•/•	•/•	•/•
Internet apps / Internet browser / Internet radio	•/•/• (incl. search)	• / • / • (incl. search)	• / • / • (incl. search)	• / • / • (incl. search)
YouTube / Amazon prime video / Netflix / Disney+	•/•/-/-	•/•/-/-	•/•/-/-	•/•/-/-
· · · · · · · · · · · · · · · · · · ·				
Connectivity and Interfaces				
HDMI 2.0b / HDMI 2.16	4 x HDMI 2.0b	4 x HDMI 2.0b	4 x HDMI 2.0b	4 x HDMI 2.0b
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/—	•/•/•/—	•/•/•/—	•/•/-
USB / Bluetooth / Screen Mirroring (Miracast)	3 (2 x USB 3.0) / • / •	3 (2 x USB 3.0) / • / •	3 (2 x USB 3.0) / • / •	3 (2 x USB 3.0) / • / •
LAN network connection / WLAN (Wi-Fi) integrated	•/•	•/•	•/•	•/•
Antenna IEC / satellite F / CI+ 1.4 ECP certified <sup>7</sup>	1/2/2	1/2/2	1/2/2	1/2/2
Home Control: IP / RJ12 (RS232C) / IR-Link8 / MU motor control	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
Mini TOSLINK / Center in (via adapter) / Cube plug stereo	•/•/—	•/•/—	•/•/—	•/•/—
Audio out control: fix / variable / subwoofer (3.5mm jack)	•/•/•	•/•/•	•/•/•	•/•/•
Kensington anti theft lock	•	•	•	•
Energy				
EU energy efficiency class: SDR (EEI) / HDR (EEI)	F (0,868) / F (0,810)	G (0,974) / G (0,978)	G (0,974) / G (0,978)	G (0,974) / G (0,978)
EPREL registration No.: https://eprel.ec.europa.eu/gr	1195816	1195930	1289440	1289436
				• / 220-240V, 50 / 60 Hz
Power switch / Mains voltages WoLAN / WoWLAN / Fast Power-On (increased consumption)	• / 220-240V, 50 / 60 Hz • / • / —	• / 220-240V, 50 / 60 Hz • / • / —	• / 220-240V, 50 / 60 Hz • / • / —	• / • / —
	•/•/=	•/•/=	•/•/=	•/•/=
Dimensions				
Weight (approx. kg) excl. / incl. standard setup solution	30,3 / 37,9	24,3 / 29,0	24,2 / 28,9	24,2 / 28,9
W* x H x D (approx. cm) without setup solution (* incl. signature flag)	145,7 x 86,0 x 6,8	123,6 x 73,6 x 6,8	123,6 x 73,6 x 6,8	123.6 x 73.6 x 6.8
W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)	145,7 x 86,0 x 8,2	123,6 x 73,6 x 8,2	123,6 x 73,6 x 8,2	123,6 x 73,6 x 8,2
W* x H x D (approx. cm) incl. table stand (* incl. signature flag)	145,7 x 91,3 x 29,0	123,6 x 78,8 x 27,0	123,6 x 78,8 x 27,0	123,6 x 78,8 x 27,0
VESA support	300 x 300	300 x 300	300 x 300	300 x 300
Scope of Delivery				
Speaker	klang bar v (mounted)	klang bar v (mounted)	klang bar v (mounted)	klang bar v (mounted)
Setup Solution / rotate-able	table stand v basalt / ●	table stand v basalt / ●	table stand v basalt / ●	table stand v basalt / •
Remote control (incl. batteries)	Loewe assist alu silver (2x AAA)	Loewe assist alu silver (2x AAA)	Loewe assist alu silver (2x AAA)	
Manual / power cord	•/•(2,5 m)	/ • (2,5 m)	/ • (2,5 m)	/ • (2,5 m)
Optional accessories				
_ <del>-</del>	Table stand mater a 77 / 1	ator * floor atond mater a 77 .	adaptor * floor stand mat	adaptor *
Selection of recommended setup solutions and audio systems		oter *, floor stand motor s.77 + and floor floor stand universal way		
		d flex, floor stand universal wa	III I I I I I I I I I I I I I I I I I	uriivef Sal
	* adapter bild v stand s klang bar5 mr, klang sub1			

• = included/installed — = not included / possible

52 —

| Included property of the pr

<sup>5)</sup> Via home network and USB
<sup>6)</sup> Incl. e.g.: eARC, ALLM. VRR FHD 48-60 Hz, 4K @ 60 Hz, 18 Gb/s
<sup>7)</sup> CI Plus (CI+) is backwards compatible to CI, functionality depends on module availability from supplier
<sup>8)</sup> Only in conjunction with adapter (to be ordered separatel) and selected devices (RCS, 36 KHz)

All product and company names are trademarks M or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them.

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service offers are all handled individually.

### **Technical Data**

Loewe bild v	v.48 dr+ bronze	48 dr+	48
Image			
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm/inch) / Response time (ms)	121 / 48 / 1	121 / 48 / 1	121/48/1
Panel luminance <sup>1</sup> (cd/m <sup>2</sup> ) / Viewing angle (h/v)	720 / 120°	720 / 120°	720 / 120°
Ultra HD scaling / Image+ Active / Adaptive Contrast / 24p	•/•/-/•	•/•/-/•	•/•/-/•
HDR (HLG / HDR10 / Dolby Vision™) / WCG	•/•/•	•/•/•/•	•/•/•/•
Auto-dimming interior (OPC) / Ambient brightness control	•/•	•/•	•/•
Receiption			
-	21.1	21.1.1.1	
DVB-T2/C/S2 HD / Multi ATV / Unicable / Dual Channel	• 2A/ • / • / •	• <sup>2A</sup> /•/•/•	• <sup>2A</sup> / • / • / •
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	•/•/•	•/•/•/•	•/•/•/•
Sat over IP / DVB-C over IP / DVB radio	•/•/•	•/•/•	•/•/•
Audio			
Output (watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 6	2 x 20 / 2 x 40 / 6	2×20/2×40/6
Acoustic speaker concept	speaker box + bass reflex	speaker box + bass reflex	speaker box + bass reflex
Magic moment / front firing / down firing / 2-channel crossover	-/•/-/•	-/•/-/•	-/•/-/•
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/-/-	•/•/-/-	•/•/•/-/-
Class-D amp / Auto Volume (AVC) / Mimi Sound Personalization	•/•/•	•/•/•	•/•/•
Individual bass and treble control / Loudness	•/•	•/•	•/•
Operation			
·	CLE / 006 / -	CLE / 006 / -	CLE / ooC / -
Loewe chassis / os / home screen (incl. favorites)	SL5/os6/•	SL5/os6/●	SL5 / os6 / ●
VIDAA app / my Loewe app (all: Android + iOS)	_/•	-/•	<b>-/•</b>
Voice control by Alexa skills / VIDAA voice	•/-	•/-	•/-
Electronic Program Guide / EPG key word search	•/•	•/•	•/•
Mediatext (HbbTV) / Teletext / page memory	• / • / 2.000	• / • / 2.000	•/•/2.000
Menu languages / Context related help	• <sup>3A</sup> / •	• 3A / •	• 3A / •
Parental Lock / Automatic turn-off / Timer	•/•/•	•/•/•	•/•/•
Instant Channel Zapping / Quick Start Mode	•/•	•/•	•/•
Number of stations in channel list incl. AV and radio	6.000	6.000	6.000
PIP (AV) <sup>4</sup> / Full PIP / Splitscreen TV:Videotext	•/•/•	•/•/•	•/•/•
Software update (via USB / Internet)	•/•	•/•	•/•
Hotel Mode (Standard / CEC / IP / RS232)	•/•/•/•	•/•/•/•	•/•/•/•
Multimedia			
Loewe dr+: storage capacity (GB) / USB recording / timeshift	1.000/•/•	1.000/•/•	-/•/•
Loewe dr+: streaming server / client / follow-me	•/•/•	•/•/•	-/•/•
Multi Recording / Mobile Recording / Radio Recording	•/•/•	•/•/•	
Music player / Photo player / Video player <sup>5</sup>	•/•/•	•/•/•	•/•/•
Digital Media Renderer (incl. Ultra HD) / Bluetooth music player	•/•	•/•	•/•
Internet apps / Internet browser / Internet radio	●/●/● (incl. search)	•/•/• (inkl. Suche)	• / • / • (inkl. Suche)
YouTube / Amazon prime video / Netflix / Disney+	•/•/-/-	•/•/-/-	•/•/-/-
Connectivity and Interfaces			
HDMI 2.0b / HDMI 2.16	4 x HDMI 2.0b	4 x HDMI 2.0b	4 x HDMI 2.0b
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/—	•/•/•/—	•/•/•/—
USB / Bluetooth / screen mirroring (Miracast)	3 (2 x USB 3.0) / • / •	3 (2 x USB 3.0) / • / •	3 (2 x USB 3.0) / • / •
LAN network connection / WLAN (Wi-Fi) integrated	•/•	•/•	•/•
Antenna IEC / satellite F / CI+ 1.4 ECP certified <sup>7</sup>	1/2/2	1/2/2	1/2/2
Home Control: IP / RJ12 (RS232C) / IR-Link8 / MU motor control	•/•/•/•	•/•/•/•	•/•/•/•
Mini TOSLINK / center in (via adapter) / cube plug stereo	•/•/—	•/•/—	•/•/—
Audio out control: fix / variable / sub (3.5 mm jack)	•/•/•	•/•/•	•/•/•
Kensington anti theft lock	•	•	•
Energy			
EU energy efficiency class: SDR (EEI) / HDR (EEI)	C (0.063) / C /1.039)	C (0.063) / C (1.039)	C (0.063) / C (1.030)
	G (0,963) / G (1,028)	G (0,963) / G (1,028)	G (0,963) / G (1,028)
EPREL registration No.: https://eprel.ec.europa.eu/qr	1451828	1451828	1451843
Power switch / mains voltages AC	• / 220-240V, 50 / 60 Hz	• / 220-240V, 50 / 60 Hz	• / 220-240V, 50 / 60 Hz
WoLAN / WoWLAN / Fast Power-On (increased consumption)	•/•/—	•/•/—	•/•/—
Dimensions			
Weight (approx. kg) excl. / incl. standard setup solution	15,2 / 17,9	15,2 / 17,9	15,1 / 17,8
W* x H x D (approx. cm) without setup solution (* incl. signature flag)	107,7 x 65,3 x 6,3	107,7 x 65,3 x 6,3	107,7 x 65,3 x 6,3
W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)	107,7 x 65,3 x 7,5	107,7 x 65,3 x 7,5	107,7 x 65,3 x 7,5
W* x H x D (approx. cm) incl. table stand (* incl. signature flag)	107,7 x 67,8 x 19,0	107,7 x 67,8 x 19,0	107,7 x 67,8 x 19,0
VESA support	300 x 300	300 x 300	300 x 300
Scope of Delivery			
	Manakan I ( ) "	Marchani C. C. C.	Disease 2 C C
Speaker	klang bar v bronze (mounted)	klang bar v (montiert)	klang bar v (montiert)
Setup Solution / rotate-able	table stand v bronze / •	table stand v basalt / ●	table stand v basalt / •
Remote control (incl. batteries)	Loewe assist alu silver (2x AAA)	Loewe assist alu silver (2x AAA)	Loewe assist alu silver (2x AA
Manual / power cord	• / • (2,5 m)	•/•(2,5 m)	•/• (2,5 m)
Others	fabric sleeve		
Optional accessories			
	floor2poiling stand floor stand flo	ex, floor stand universal, floor stand	-
Salaction of recommended cotup colutions and audio customs			
Selection of recommended setup solutions and audio systems	wall mount slim 432, wall mount		

<sup>• =</sup> included/installed — = not included / possible

In continued in tristalet — In the included 7 possible

3) according to panel spec typ. values @ HDR 10%

24) Reception of DVB-T2 HD is available in selected countries but may be limited by individual regulations from the respective provider

30 de - en - fr : t1 - es - n1 - cs - e1 - p1 - hu - fr - s1 - sk - tr - sv - da - pt - ru - no - zh - ko - hr - sr - he

4) AV-PIP is only available in combination with DVB-T/C/S

All product and company names are trademarks of registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service offers are all handled individually.

**—** 53

<sup>Si Via home network and USB
In Incl. e.g.: eARC, ALLM, VRR FHD 48-60 Hz, 4K @ 60 Hz, 18 Gb/s
CI Plus (CI+) is backwards compatible to CI, functionality depends on module availability from supplier
City only in conjunction with adapter (to be ordered separatel) and selected devices (RC5, 36 kHz)</sup> 

Loewe bild i & klang bar i	65 dr+ & klang bar i	55 dr+ & klang bar i	48 dr+ & klang bar i
Image			
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm/inch) / Response time (ms)	164/65/1	139 / 55 / 1	121 / 48 / 1
Panel luminance¹ (cd/m²) / Viewing angle (h/v)	900 / 120°	900 / 120°	720 / 120°
Ultra HD scaling / Image+ Active / Adaptive Contrast / 24p	•/-/•/•	•/•/-/•	•/•/-/•
HDR (HLG / HDR10 / Dolby Vision™) / WCG	•/•/•/•	•/•/•/•	•/•/•/•
Auto-dimming interior (OPC) / Ambient brightness control	•/•	•/•	•/•
Receiption			
DVB-T2/C/S2 HD / Multi ATV / Unicable / Dual Channel	• <sup>2B</sup> /•/•/—	• <sup>2B</sup> /•/•/—	• <sup>28</sup> / • / • / —
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	•/•/•/•	•/•/•/•	0/0/0/0
Sat over IP / DVB-C over IP / DVB radio	-/-/•	-/-/•	-/-/•
			_,_,
Audio			
Output (watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 8	2 x 20 / 2 x 40 / 8	2 x 20 / 2 x 40 / 8
Acoustic speaker concept	klang bar i	klang bar i	klang bar i
Magic moment / front firing / down firing / 2-channel crossover	-/•/-/•	-/•/-/•	-/•/-/•
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/•	•/•/•/•/	•/•/•/•
Class-D amp / Auto Volume (AVC) / Mimi Sound Personalization	•/•/—	•/•/—	•/•/—
Individual bass and treble control / Loudness	7-Band EQ / —	7-Band EQ / —	7-Band EQ / —
Operation			
Loewe chassis / os / home screen (incl. favorites)	SL7/os7/•	SL7/os7/•	SL7/os7/•
Loewe app / Vidaa app / my Loewe app (all: Android + iOS)	-/•/•	-/•/•	-/•/•
Voice control by Alexa skills / Vidaa voice	-/•/• •/•	•/•	-/•/• •/•
Electronic Program Guide / EPG key word search	•/•	•/-	•/-
Mediatext (HbbTV) / Teletext / page memory	•/-	•/- •/•/792	•/ <del>-</del>
Menu languages / Context related help	• / • / /92 • 3B/ •	● / ● / /92 ● <sup>3B</sup> / ●	● / ● / / 92 ● <sup>3B</sup> / ●
Parental Lock / Automatic turn-off / Timer	•/•/•	•/•/•	•/•/•
Instant Channel Zapping / Quick Start Mode	<del>-</del> /•	-/•	-/•
Number of stations in channel list incl. AV and radio	10.000	10.000	10.000
PIP (AV) <sup>4</sup> / Full PIP / Splitscreen TV:Videotext	-/-/•	-/-/•	_ / <b>_</b> / •
Software update (via USB / Internet)	<u>-/-/•</u>	•/•	•/•
Hotel Mode (Standard / CEC / IP / RS232)	•/-/-/-		
· · · · · · · · · · · · · · · · · · ·	•/-/-/-	•/-/-	•/-/-
Multimedia			
Loewe dr+: storage capacity (GB) / USB recording / timeshift	1.000/-/•	1.000/-/•	1.000 / — / ●
Loewe dr+: streaming server / client / follow-me	•/-/•	•/-/•	•/-/•
Multi Recording / Mobile Recording / Radio Recording	_	_	_
Music player / Photo player / Video player <sup>5</sup>	•/•/•	•/•/•	•/•/•
Digital Media Renderer (incl. Ultra HD) / Bluetooth music player	•/•	•/•	•/•
Internet apps / Internet browser / Internet radio	<ul><li>/ ● / ● (via radio app)</li></ul>	<ul><li>/ • / • (via radio app)</li></ul>	<ul><li>/ • / • (via radio app)</li></ul>
YouTube / Amazon prime video / Netflix / Disney+ / Apple tv+	•/•/•/•	•/•/•/•	•/•/•/•
Connectivity and Interfaces			
HDMI 2.0b / HDMI 2.16	4 x HDMI 2.1	4 x HDMI 2.1	4 x HDMI 2.1
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/•	•/•/•/•	●/●/●/●
	4(2 x USB 3.0)/•/•	4 (2 x USB 3.0) / • / •	4 (2 x USB 3.0) / • / •
LICD / Divotanth / caroon mirroring (Miranact)		•/•	•/•
USB / Bluetooth / screen mirroring (Miracast)		• / •	
LAN network connection / WLAN (Wi-Fi) integrated	•/•	1 /1 /1	1 / 1 / 1
LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / satellite F / CI+ 1.4 ECP certified <sup>7</sup>	1/1/1	1/1/1	1/1/1
LAN network connection / WLAN (Wi-Fi) integrated  Antenna IEC / satellite F / CI+ 1.4 ECP certified <sup>7</sup> Home automation: IP / RJ12 (RS232C) / IR-Link <sup>8</sup> / MU motor control	1/1/1	•/-/-/-	•/-/-/-
LAN network connection / WLAN (Wi-Fi) integrated  Antenna IEC / satellite F / CI+ 1.4 ECP certified <sup>7</sup> Home automation: IP / RJ12 (RS232C) / IR-Link <sup>8</sup> / MU motor control  Mini TOSLINK / center in (via adapter) / cube plug stereo	1/1/1 •/-/-/- •/•/•	•/-/-/- •/•/•	•/-/-/- •/•/•
LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / satellite F / Cl+ 1.4 ECP certified? Home automation: IP / RJ12 (RS232C) / IR-Link* / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack)	1/1/1 •/-/-/- •/•/•	•/-/-/- •/•/• •/•/•	•/-/-/- •/•/• •/•/•
LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / satellite F / Cl+ 1.4 ECP certified? Home automation: IP / RJ12 (RS232C) / IR-Link® / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock	1/1/1 •/-/-/- •/•/•	•/-/-/- •/•/•	•//
LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / satellite F / Cl+ 1.4 ECP certified? Home automation: IP / RJ12 (RS232C) / IR-Link* / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack)	1/1/1 •/-/-/- •/•/•	•/-/-/- •/•/• •/•/•	•/-/-/- •/•/• •/•/•
LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / satellite F / Cl+ 1.4 ECP certified? Home automation: IP / RJ12 (RS232C) / IR-Link® / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock	1/1/1 •/-/-/- •/•/•	•/-/-/- •/•/• •/•/•	•/-/-/- •/•/• •/•/•
LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / satellite F / CI+ 1.4 ECP certified? Home automation: IP / RJ12 (RS232C) / IR-Link® / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)	1/1/1 •/-/-/- •/•/• •/•/•	•/-/- •/•/• •/•/•	•/-/- •/•/• •/•/•
LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / satellite F / CI+ 1.4 ECP certified? Home automation: IP / RJ12 (RS232C) / IR-Link® / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock  Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr	1/1/1  •/-/-/-  •/•/•  •/•/•  via bild i.65 dr+ via bild i.65 dr+	•/-/- •/•/• •/•/• •/ •/• via bild i.55 dr+	•/-/-/- •/•/• •/•/• •/•/• •/ididi.48 dr+
LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / satellite F / CI+ 1.4 ECP certified? Home automation: IP / RJ12 (RS232C) / IR-Link® / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI)	1/1/1  •/-/-/ •/•/• •/•/•  via bild i.65 dr+	•/-/-/- •/•/• •/•/• •/ •/•  via bild i.55 dr+ via bild i.55 dr+	•/-/-/- •/•/• •/•/• •/ia bild i.48 dr+ via bild i.48 dr+
LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / satellite F / CI+ 1.4 ECP certified? Home automation: IP / RJ12 (RS232C) / IR-Link® / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock  Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / mains voltages AC WoLAN / WoWLAN / Fast Power-On (increased consumption)	1/1/1  •/-/-/- •/•/• •/•/•  via bild i.65 dr+ via bild i.65 dr+ -/ 220-240V, 50/60 Hz	•/-/-/- •/•/• •/•/• •/ •/•  via bild i.55 dr+ via bild i.55 dr+ -/ 220-240V, 50/60 Hz	•/-/-/ •/•/• •/•/• •/ia bild i.48 dr+ via bild i.48 dr+ -/ 220-240V, 50/60 Hz
LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / satellite F / CI+ 1.4 ECP certified? Home automation: IP / RJ12 (RS232C) / IR-Link® / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock  Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / mains voltages AC WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions	1/1/1  •/-/-/- •/•/• •/•/•  via bild i.65 dr+ via bild i.65 dr+ -/ 220-240V, 50/60 Hz •/•/•	•/-/-/- •/•/• •/•/• •/ •/• •/ •/• • via bild i.55 dr+ via bild i.55 dr+ -/ 220-240V, 50/60 Hz •/ •/ •	•/-/-/ •/•/• •/•/• •/•/• •/ia bild i.48 dr+ via bild i.48 dr+ -/ 220-240V, 50/60 Hz •/•/•
LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / satellite F / Cl+ 1.4 ECP certified? Home automation: IP / RJ12 (RS232C) / IR-Link® / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock  Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / mains voltages AC WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  Weight (approx. kg) excl. / incl. standard setup solution	1/1/1  •/-/-/-  •/•/•  •/•/•  via bild i.65 dr+  via bild i.65 dr+  -/ 220-240V, 50/60 Hz  •/•/•  31,1/37,1	•/-/-/- •/•/• •/•/• •/•/• •/ via bild i.55 dr+ via bild i.55 dr+ -/ 220-240V, 50/60 Hz •/•/• 24,7/30,7	•/-/-/- •/•/• •/•/• •/•/• •/ia bild i.48 dr+ via bild i.48 dr+ -/220-240V, 50/60 Hz •/•/•
LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / satellite F / Cl+ 1.4 ECP certified? Home automation: IP / RJ12 (RS232C) / IR-Link® / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock  Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / mains voltages AC WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag)	1/1/1  •/-/-/ •/•/• •/•/•  via bild i.65 dr+ via bild i.65 dr+ -/ 220-240V, 50/60 Hz •/•/•  31.1/37.1 146.0 x 86.8 x 6.4	•/-/-/- •/•/• •/•/• •/•/• •/•/•  via bild i.55 dr+ via bild i.55 dr+ -/220-240V, 50/60 Hz •/•/•/  24,7/30,7  123,6 x 74,4 x 6,4	•/-/-/- •/•/• •/•/• •/•/• •/ia bild i.48 dr+ via bild i.48 dr+ -/220-240V, 50/60 Hz •/•/•  17.4 / 23.4 107.7 x 65.4 x 6.4
LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / satellite F / CI+ 1.4 ECP certified? Home automation: IP / RJ12 (RS232C) / IR-Link® / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock  Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / mains voltages AC WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)	1/1/1  •/-/-/- •/•/• •/•/• •/•/•  via bild i.65 dr+ via bild i.65 dr+ -/ 220-240V, 50/60 Hz •/•/•  31,1/37,1 146,0 x 86,8 x 6,4 146,0 x 86,8 x 8,4	•/-/-/- •/•/• •/•/• •/•/• •/ via bild i.55 dr+ via bild i.55 dr+ -/ 220-240V, 50/60 Hz •/•/•  24,7/30,7 123,6 x 74,4 x 6,4 123,6 x 74,4 x 8,4	•/-/-/- •/•/• •/•/• •/•/• •/ia bild i.48 dr+ via bild i.48 dr+ -/220-240V, 50/60 Hz •/•/•  17.4 / 23.4 107.7 x 65.4 x 6.4 107.7 x 65.4 x 8.5
LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / satellite F / CI+ 1.4 ECP certified? Home automation: IP / RJI2 (RS232C) / IR-Link® / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / mains voltages AC WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) W* x H x D (approx. cm) incl. table stand (* incl. signature flag)	1/1/1  •/-/-/-  •/•/•  •/•/•  via bild i.65 dr+ via bild i.65 dr+  -/ 220-240V, 50/60 Hz  •/•/•  31,1/37.1  146.0 x 86.8 x 6.4  146.0 x 86.8 x 8.4  146.0 x 88.3 x 29.0	•/-/-/- •/•/• •/•/• •/•/• •/ via bild i.55 dr+ via bild i.55 dr+ -/ 220-240V, 50/60 Hz •/•/•  24,7/30,7 123,6 x 74,4 x 6,4 123,6 x 74,4 x 8,4 123,6 x 75,9 x 29,0	•/-/-/- •/•/• •/•/• •/•/• •/•/• •/iabild i.48 dr+ via bild i.48 dr+ -/220-240V, 50/60 Hz •/•/•  17.4 / 23.4 107.7 x 65.4 x 6.4 107.7 x 65.4 x 8.5 107.7 x 66.9 x 29.0
LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / satellite F / CI+ 1.4 ECP certified? Home automation: IP / RJ12 (RS232C) / IR-Link® / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock  Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / mains voltages AC WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)	1/1/1  •/-/-/- •/•/• •/•/• •/•/•  via bild i.65 dr+ via bild i.65 dr+ -/ 220-240V, 50/60 Hz •/•/•  31,1/37,1 146,0 x 86,8 x 6,4 146,0 x 86,8 x 8,4	•/-/-/- •/•/• •/•/• •/•/• •/ via bild i.55 dr+ via bild i.55 dr+ -/ 220-240V, 50/60 Hz •/•/•  24,7/30,7 123,6 x 74,4 x 6,4 123,6 x 74,4 x 8,4	•/-/-/- •/•/• •/•/• •/•/• •/ia bild i.48 dr+ via bild i.48 dr+ -/220-240V, 50/60 Hz •/•/•  17.4 / 23.4 107.7 x 65.4 x 6.4 107.7 x 65.4 x 8.5
LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / satellite F / CI+ 1.4 ECP certified? Home automation: IP / RJI2 (RS232C) / IR-Link® / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock  Energy  EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / mains voltages AC WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) W* x H x D (approx. cm) incl. table stand (* incl. signature flag)	1/1/1  •/-/-/-  •/•/•  •/•/•  via bild i.65 dr+ via bild i.65 dr+  -/ 220-240V, 50/60 Hz  •/•/•  31,1/37.1  146.0 x 86.8 x 6.4  146.0 x 86.8 x 8.4  146.0 x 88.3 x 29.0	•/-/-/- •/•/• •/•/• •/•/• •/ via bild i.55 dr+ via bild i.55 dr+ -/ 220-240V, 50/60 Hz •/•/•  24,7/30,7 123,6 x 74,4 x 6,4 123,6 x 74,4 x 8,4 123,6 x 75,9 x 29,0	•/-/-/- •/•/• •/•/• •/•/• •/•/• •/iabild i.48 dr+ viabild i.48 dr+ -/220-240V, 50/60 Hz •/•/•  17.4 / 23.4 107.7 x 65.4 x 6.4 107.7 x 65.4 x 8.5 107.7 x 66.9 x 29.0
LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / satellite F / CI+ 1.4 ECP certified? Home automation: IP / RJ12 (RS232C) / IR-Link® / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock  Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / mains voltages AC WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) W* x H x D (approx. cm) incl. table stand (* incl. signature flag) VESA support  Scope of Delivery	1/1/1  •/-/-/ •/•/• •/•/• •/•/•  via bild i.65 dr+ via bild i.65 dr+ -/ 220-240V, 50/60 Hz •/•/•  31,1/37,1 146,0 x 86,8 x 6,4 146,0 x 86,8 x 8,4 146,0 x 88,3 x 29,0 300 x 200	•/-/-/- •/•/• •/•/• •/•/• •/•/• •/ via bild i.55 dr+ via bild i.55 dr+ -/ 220-240V, 50/60 Hz •/•/•  24,7/30,7  123,6 x 74,4 x 6,4  123,6 x 74,4 x 8,4  123,6 x 75,9 x 29,0  300 x 200	•/-/-/- •/•/• •/•/• •/•/• •/•/• •/•/• •/ via bild i.48 dr+ via bild i.48 dr+ -/220-240V, 50/60 Hz •/•/•  17,4/23,4 107,7 x 65,4 x 6,4 107,7 x 66,9 x 29,0 300 x 200
LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / satellite F / Cl+ 1.4 ECP certified? Home automation: IP / RJ12 (RS232C) / IR-Link* / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock  Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / mains voltages AC WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) VESA support  Scope of Delivery Speaker	1/1/1  •/-/-/-  •/•/•  •/•/•  via bild i.65 dr+ via bild i.65 dr+  -/ 220-240V, 50/60 Hz  •/•/•  31,1/37.1  146,0 x 86,8 x 6,4  146,0 x 86,8 x 84  146,0 x 88,3 x 29,0  300 x 200  klang bar i (separated)	•/-/-/- •/•/• •/•/• •/•/• •/•/• •/ via bild i.55 dr+ via bild i.55 dr+ -/ 220-240V, 50/60 Hz •/•/•  24.7 / 30.7 123.6 x 74.4 x 6.4 123.6 x 74.4 x 8.4 123.6 x 75.9 x 29.0 300 x 200  klang bar i (separated)	•/-/-/ •/•/• •/•/• •/•/• •/•/• •/•/• •/ via bild i.48 dr+ via bild i.48 dr+ -/ 220-240V, 50/60 Hz •/•/•  17,4 / 23,4 107,7 x 65,4 x 6,4 107,7 x 65,4 x 8,5 107,7 x 66,9 x 29,0 300 x 200  klang bar i (separated)
LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / satellite F / Cl+ 1.4 ECP certified? Home automation: IP / RJ12 (RS232C) / IR-Link® / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock  Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / mains voltages AC WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) W* x H x D (approx. cm) incl. table stand (* incl. signature flag) YESA support  Scope of Delivery Speaker Setup Solution / rotate-able	1/1/1	•/-/-/- •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• • via bild i.55 dr+ via bild i.55 dr+ -/ 220-240V, 50/60 Hz •/•/•  24,7 / 30,7 123,6 x 74,4 x 6,4 123,6 x 74,4 x 8,4 123,6 x 75,9 x 29,0 300 x 200  klang bar i (separated) table stand i / •	•/-/-/ •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/ via bild i.48 dr+ via bild i.48 dr+ -/ 220-240V, 50/60 Hz •/•/•  17.4 / 23.4 107.7 x 65.4 x 6.4 107.7 x 65.4 x 8.5 107.7 x 66.9 x 29,0 300 x 200  klang bar i (separated) table stand i / •
LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / satellite F / Cl+ 1.4 ECP certified? Home automation: IP / RJ12 (RS232C) / IR-Link® / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock  Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / mains voltages AC WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) WESA support  Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries)	1/1/1	•/-/-/- •/•/• •/•/• •/•/• •/•/• •/•/• •/ via bild i.55 dr+ via bild i.55 dr+ -/ 220-240V, 50/60 Hz •/•/•  24,7 / 30,7 123,6 x 74,4 x 6,4 123,6 x 74,4 x 8,4 123,6 x 75,9 x 29,0 300 x 200  klang bar i (separated) table stand i / • Loewe remote alu silver (2x AAA)	•/-/-/ •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/* via bild i.48 dr+ via bild i.48 dr+ -/220-240V, 50/60 Hz •/•/•  17.4 / 23.4 107.7 x 65.4 x 6.4 107.7 x 65.4 x 8.5 107.7 x 66.9 x 29,0 300 x 200  klang bar i (separated) table stand i / • Loewe remote alu silver (2x AAA
LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / satellite F / Cl+ 1.4 ECP certified? Home automation: IP / RJ12 (RS232C) / IR-Link® / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock  Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / mains voltages AC WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) W* x H x D (approx. cm) incl. table stand (* incl. signature flag) VESA support  Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord	1/1/1	•/-/-/- •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• • via bild i.55 dr+ via bild i.55 dr+ -/ 220-240V, 50/60 Hz •/•/•  24,7 / 30,7 123,6 x 74,4 x 6,4 123,6 x 74,4 x 8,4 123,6 x 75,9 x 29,0 300 x 200  klang bar i (separated) table stand i / •	•/-/-/ •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/ •/
LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / satellite F / Cl+ 1.4 ECP certified? Home automation: IP / RJ12 (RS232C) / IR-Link® / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock  Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / mains voltages AC WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) WESA support  Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord  Optional accessories	1/1/1	•/-/-/- •/•/• •/•/• •/•/• •/•/• •/•/• •/ via bild i.55 dr+ via bild i.55 dr+ -/ 220-240V, 50/60 Hz •/•/•  24,7 / 30,7 123,6 x 74,4 x 6,4 123,6 x 74,4 x 8,4 123,6 x 75,9 x 29,0 300 x 200  klang bar i (separated) table stand i / • Loewe remote alu silver (2x AAA)	•/-/-/ •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/* via bild i.48 dr+ via bild i.48 dr+ -/220-240V, 50/60 Hz •/•/•  17.4 / 23.4 107.7 x 65.4 x 6.4 107.7 x 65.4 x 8.5 107.7 x 66.9 x 29,0 300 x 200  klang bar i (separated) table stand i / • Loewe remote alu silver (2x AAA
LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / satellite F / Cl+ 1.4 ECP certified? Home automation: IP / RJ12 (RS232C) / IR-Link® / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock  Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / mains voltages AC WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) W* x H x D (approx. cm) incl. table stand (* incl. signature flag) YESA support  Scope of Delivery Speaker Setup Solution / rotate-able	1/1/1	•/-/-/- •/•/• •/•/• •/•/• •/•/• •/•/• •/ via bild i.55 dr+ via bild i.55 dr+ -/ 220-240V, 50/60 Hz •/•/•  24,7 / 30,7 123,6 x 74,4 x 6,4 123,6 x 74,4 x 8,4 123,6 x 75,9 x 29,0 300 x 200  klang bar i (separated) table stand i / • Loewe remote alu silver (2x AAA)	•/-/-/ •/•/•/ •/•/•/ •/•/ •/•/•/ •//•/ •//
LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / satellite F / Cl+ 1.4 ECP certified? Home automation: IP / RJ12 (RS232C) / IR-Link® / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock  Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / mains voltages AC WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) WESA support  Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord  Optional accessories	1/1/1  •/-/-/ •/•/•  •/•/•  via bild i.65 dr+ via bild i.65 dr+  -/ 220-240V, 50/60 Hz  •/•/•  31,1/37,1  146,0 x 86,8 x 6,4  146,0 x 86,8 x 8,4  146,0 x 88,3 x 29,0  300 x 200  klang bar i (separated) table stand i / •  Loewe remote alu silver (2x AAA)  •/• (2,5 m, black)	via bild i.55 dr+ via bild i.55 dr+ via bild i.55 dr+  - / 220-240V, 50/60 Hz  - / 220-240V, 50/60 Hz  24,7 / 30,7  123,6 x 74,4 x 6,4  123,6 x 74,4 x 8,4  123,6 x 75,9 x 29,0  300 x 200  klang bar i (separated) table stand i / ◆  Loewe remote alu silver (2x AAA)  • / • (2,5 m, black)	
LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / satellite F / Cl+ 1.4 ECP certified? Home automation: IP / RJ12 (RS232C) / IR-Link® / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock  Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / mains voltages AC WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) WESA support  Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord  Optional accessories	1/1/1  •/-/-/ •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/•  via bild i.65 dr+ via bild i.65 dr+ -/ 220-240V, 50/60 Hz •/•/•  31,1/37,1 146,0 x 86,8 x 6,4 146,0 x 86,8 x 8,4 146,0 x 88,3 x 29,0 300 x 200  klang bar i (separated) table stand i / • Loewe remote alu silver (2x AAA) •/• (2,5 m, black)	•/-/-/ •/•/• •/•/• •/•/• •/•/• •/•/• •/ via bild i.55 dr+ via bild i.55 dr+ -/ 220-240V, 50/60 Hz •/•/•  24,7/30,7 123,6 x 74,4 x 6,4 123,6 x 74,4 x 8,4 123,6 x 75,9 x 29,0 300 x 200  klang bar i (separated) table stand i/• Loewe remote alu silver (2x AAA) •/• (2,5 m, black)	•/-/-/ •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/ •//•/ •//•/ •//•/ •//•/ •//•/ •//•/ •//•/ •//•/ •//•/ •//•//
LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / satellite F / Cl+ 1.4 ECP certified? Home automation: IP / RJ12 (RS232C) / IR-Link® / MU motor control Mini TOSLINK / center in (via adapter) / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock  Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / mains voltages AC WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) WESA support  Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord  Optional accessories	1/1/1  •/-/-/ •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/•  via bild i.65 dr+ via bild i.65 dr+ -/ 220-240V, 50/60 Hz •/•/•  31,1/37,1 146,0 x 86,8 x 6,4 146,0 x 86,8 x 8,4 146,0 x 88,3 x 29,0 300 x 200  klang bar i (separated) table stand i/• Loewe remote alu silver (2x AAA) •/• (2,5 m, black)  floor2ceiling stand floor stand flex	•/-/-/ •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/ via bild i.55 dr+ via bild i.55 dr+ -/ 220-240V, 50/60 Hz •/•/•  24,7/30,7 123,6 x 74,4 x 6,4 123,6 x 74,4 x 8,4 123,6 x 75,9 x 29,0 300 x 200  klang bar i (separated) table stand i/• Loewe remote alu silver (2x AAA) •/• (2,5 m, black)  floor2ceiling stand floor stand flex	•/-/-/ •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/• •/•/ •/•/ •/•/ •/•/ •/•/ •/•/ •/•/ •/•/ •/•/ •/•/ •/•/ •/•/ •/•/ •/•/ •/•/ •/•/ •/•/ •/* •/*

<sup>• =</sup> available — = not available

All product and company names are trademarks <sup>M</sup> or registered <sup>®</sup> trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service offers are all handled individually.

### **Technical Data**

Loewe bild i	65 dr+	55 dr+	48 dr+
Image			
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm/inch) / Response time (ms)	164/65/1	139 / 55 / 1	121 / 48 / 1
Panel luminance <sup>1</sup> (cd/m <sup>2</sup> ) / Viewing angle (h/v)	900 / 120°	900 / 120°	720 / 120°
Ultra HD scaling / Image+ Active / Adaptive Contrast / 24p	•/-/•/•	•/•/-/•	•/•/-/•
HDR (HLG / HDR10 / Dolby Vision™) / WCG	•/•/•/•	•/•/•/•	•/•/•/•
Auto-dimming interior (OPC) / Ambient brightness control	•/•	•/•	•/•
Receiption			
DVB-T2/C/S2 HD / Multi ATV / Unicable / Dual Channel	● <sup>2B</sup> / ● / ● / — ● / ● / ● / ●	• <sup>2B</sup> /• /• /—	• <sup>2B</sup> /• /• / —
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)			
Sat over IP / DVB-C over IP / DVB radio	-/-/•	-/-/•	<b>-/-/•</b>
Audio			
Output (watts sine / music) / driver (active + passive)	2 x 10 / 2 x 20 / 2	2 x 10 / 2 x 20 / 2	2 x 10 / 2 x 20 / 2
Acoustic speaker concept	Speaker box - bass reflex	Speaker box - bass reflex	Speaker box - bass reflex
Magic moment / front firing / down firing / 2-channel crossover	— / — / ● / — (invisible sound)	— / — / ● / — (invisible sound)	— / — / ● / — (invisible sound
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/•	•/•/•/•	•/•/•/•
Class-D amp / Auto Volume (AVC) / Mimi Sound Personalization	•/•/—	•/•/—	•/•/—
Individual bass and treble control / Loudness	7-Band EQ / —	7-Band EQ / —	7-Band EQ / —
Operation			
Loewe chassis / os / home screen (incl. favorites)	SL7/os7/•	SL7/os7/•	SL7/os7/•
Loewe app / Vidaa app / my Loewe app (all: Android + iOS)	_/•/•	-/•/•	-/•/•
Voice control by Alexa skills / Vidaa voice	•/•	-/-/-	•/•
Electronic Program Guide / EPG key word search	•/-	•/-	•/-
Mediatext (HbbTV) / Teletext / page memory	•/•/792	•/•/792	•/•/792
Menu languages / Context related help	• 3B/ •	• 3B/ •	• 3B/ •
Parental Lock / Automatic turn-off / Timer	•/•/•	• / • / •	•/•/•
Instant Channel Zapping / Quick Start Mode	<u>-/•</u>	-/•	-/•
Number of stations in channel list incl. AV and radio	10.000	10.000	10.000
PIP (AV) <sup>4</sup> / Full PIP / Splitscreen TV:Videotext	_/_/•	-/-/•	-/-/•
Software update (via USB / Internet)	•/•	•/•	•/•
Hotel Mode (Standard / CEC / IP / RS232)	•/-/-/-	•/-/-/-	•/-/-/-
	<u> </u>	- , ,	, ,
Multimedia			
Loewe dr+: storage capacity (GB) / USB recording / timeshift	1.000/-/•	1.000 / — / ●	1.000/-/•
Loewe dr+: streaming server / client / follow-me	•/-/•	•/-/•	•/-/•
Multi Recording / Mobile Recording / Radio Recording		_	_
Music player / Photo player / Video player <sup>5</sup>	•/•/•	•/•/•	•/•/•
Digital Media Renderer (incl. Ultra HD) / Bluetooth music player	•/•	•/•	•/•
Internet apps / Internet browser / Internet radio	• / • / • (via radio app)	<ul><li>/ • / • (via radio app)</li></ul>	<ul><li>/ • / • (via radio app)</li></ul>
YouTube / Amazon prime video / Netflix / Disney+ / Apple tv+	•/•/•/•	•/•/•/•	•/•/•/•
Connectivity and Interfaces			
HDMI 2.0b / HDMI 2.16	4 x HDMI 2.1	4 x HDMI 2.1	4 x HDMI 2.1
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/•	•/•/•/•	•/•/•/•
USB / Bluetooth / screen mirroring (Miracast)	4 (2 x USB 3.0) / • / •	4 (2 x USB 3.0) / • / •	4(2 x USB 3.0)/ • / •
LAN network connection / WLAN (Wi-Fi) integrated	•/•	•/•	•/•
Antenna IEC / satellite F / CI+ 1.4 ECP certified <sup>7</sup>	1/1/1	1/1/1	1/1/1
Home automation: IP / RJ12 (RS232C) / IR-Link8 / MU motor control	•/-/-	•/-/-/-	•/-/-/-
Mini TOSLINK / center in (via adapter) / cube plug stereo	•/•/•	•/•/•	•/•/•
Audio out control: fix / variable / sub (3.5 mm jack)	•/•/•	•/•/•	•/•/•
Kensington anti theft lock	•	•	•
Energy			
EU energy efficiency class: SDR (EEI) / HDR (EEI)	F (0.700) / F (0.000)	F (0.707) / F (0.700)	F (0.000) / F (0.77F)
	E (0,709) / E (0,608) 1364122	F (0,787) / E (0,709)	F (0,900) / F (0,775)
EPREL registration No.: https://eprel.ec.europa.eu/qr		1429774	1301523
Power switch / mains voltages AC	— / 220-240V, 50/60 Hz	— / 220-240V, 50/60 Hz	— / 220-240V, 50/60 Hz
WoLAN / WoWLAN / Fast Power-On (increased consumption)	•/•/•	•/•/•	•/•/•
Dimensions			
Weight (approx. kg) excl. / incl. standard setup solution	29,2 / 35,2	22,8 / 28,8	15,5 / 21,5
W* x H x D (approx. cm) without setup solution (* incl. signature flag)	146,0 x 85,8 x 6,4	123,6 x 73,4 x 6,4	107,7 x 64,4 x 6,4
W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)	146,0 x 85,8 x 8,4	123,6 x 73,4 x 8,4	107,7 x 64,4 x 8,5
W* x H x D (approx. cm) incl. table stand (* incl. signature flag)	146,0 x 88,3 x 29,0	123,6 x 75,9 x 29,0	107,7 x 66,9 x 29,0
VESA support	300 x 200	300 x 200	300 x 200
Scope of Delivery			
Speaker	invisible sound (separated)	invisible sound (separated)	invisible sound (separated)
Setup Solution / rotate-able	table stand i / •	table stand i / ●	table stand i / •
Remote control (incl. batteries)	Loewe remote alu silver (2x AAA)	Loewe remote alu silver (2x AAA)	Loewe remote alu silver (2x AA
Manual / power cord	• / • (2,5 m, black)	● / ● (2,5 m, black)	
	₹, ₹ (2,5 m, black)	€ / € (2,0 m, black)	₹, ₹ (∠,5 m, black)
Optional accessories			
Selection of recommended setup solutions and audio systems	floor2ceiling stand	floor2ceiling stand	floor2ceiling stand
	floor stand flex	floor stand flex	floor stand flex
	wall mount slim 432	wall mount slim 432	wall mount slim 432
		11 1 1 1	wall mount universal
	wall mount universal	wall mount universal	wali mount universal
	wall mount universal klang bar5 mr	klang bar5 mr	klang bar3 mr
	klang bar5 mr	klang bar5 mr	klang bar3 mr

**—** 55

54 —

according to panel spec typ. values @ HDR 10%

according to panel spec typ. values @ HDR 10%

according to panel spec typ. values @ HDR 10%

according to panel spec typ. values @ HDR 10%

as Reception of DVB-T2 HD only in selected countries, may be limited by individual regulations from the respective provider (UK models: Freeview HD compliant)

as No - cs - da - de - et - en - es - fr - hr - is - it - hu - lt - hu - nl - no - pl - pt - ro - sq - sk - sl - sr - fi - sv - el - be - bg - kk - mk - ru - uk - tr - ar

A VPIP is only available in combination with DVB-T/C/S

is Via home network and USB

e ARC, ALLM, VRR FHD 48-60 Hz, 4K @ 60 Hz, 18 Gb/s

CI Plus (CI+) is backwards compatible to CI, functionality depends on module availability from supplier

Loewe bild c	43	32
Imaga		
Image	LIII LID (2040 - 2160)	F. JLLID (1020 -: 1000)
Screen resolution (pixels) Display technology	Ultra HD (3840 x 2160) LCD + E-LED (semi mat)	Full HD (1920 x 1080) LCD + E-LED (semi mat)
Screen diagonal (cm/inch) / Response time (ms)	108 / 43 / 8	81/32/6,5
Panel luminance <sup>1</sup> (cd/m <sup>2</sup> ) / Viewing angle (h/v)	450 / 178°	350 / 178°
Ultra HD scaling / Image+ Active / Adaptive Contrast / 24p	•/-/•/•	-/-/•/•
HDR (HLG / HDR10 / Dolby Vision™) / WCG	•/•/-/•	•/•/-/•
Auto-dimming interior (OPC) / Ambient brightness control	•/•	•/•
Receiption		
DVB-T2/C/S2 HD / Multi ATV / Unicable / Dual Channel	• <sup>28</sup> / • / • / —	• <sup>28</sup> /•/•/—
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)		•/•/•/
Sat over IP / DVB-C over IP / DVB radio	- <del>-/-/•</del>	-/-/•
	, , ,	, , ,
Audio		
Output (watts sine / music) / driver (active + passive)	2 x 15 / 2 x 30 / 4	2 x 15 / 2 x 30 / 4
Acoustic speaker concept	speaker box + bass reflex	speaker box + bass reflex
Magic moment / front firing / down firing / 2-channel crossover		-/•/-/- •/•/•/•
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD Class-D amp / Auto Volume (AVC) / Mimi Sound Personalization	_ <del>************************************</del>	•/•/-
Individual bass and treble control / Loudness	7-Band EQ / —	7-Band EQ / —
	7-Ballu EQ 7 —	7-Ballu EQ 7 —
Operation		
Loewe chassis / os / home screen (incl. favorites)	SL7/os7/•	SL7/os7/●
Loewe app / Vidaa app / my Loewe app (all: Android + iOS)	_/•/•	-/•/•
Voice control by Alexa skills / Vidaa voice	_ •/•	•/-
Electronic Program Guide / EPG key word search	•/-	•/-
Mediatext (HbbTV) / Teletext / page memory	• / • / 792	• / • / 792
Menu languages / Context related help	• 3B / •	● 38 / ●
Parental Lock / Automatic turn-off / Timer	-/•/•	•/•/•
Instant Channel Zapping / Quick Start Mode Number of stations in channel list incl. AV and radio	10.000	/• 10.000
PIP (AV) <sup>4</sup> / Full PIP / Splitscreen TV:Videotext		-/-/•
Software update (via USB / Internet)		•/•
Hotel Mode (Standard / CEC / IP / RS232)	•/-/-/-	•/-/-/-
	<b>O</b> / / /	• / / /
Multimedia		
Loewe dr+: storage capacity (GB) / USB recording / timeshift	_/•/•	-/•/•
Loewe dr+: streaming server / client / follow-me	-/•/-	-/•/-
Music player / Photo player / Video player <sup>5</sup>	•/•/•	•/•/•
Digital Media Renderer (incl. Ultra HD) / Bluetooth music player Internet apps / Internet browser / Internet radio	_	• / • • / • / • (via radio app)
YouTube / Amazon prime video / Netflix / Disney+	• / • / • (via radio app)	•/•/• (via radio app)
	•/•/•/•	•/•/•/•
Connectivity and Interfaces		
HDMI 2.0b / HDMI 2.16	3 x HDMI 2.1	3 x HDMI 2.1
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/•	•/•/•/•
USB / Bluetooth / screen mirroring (Miracast)	2 (1 x USB 3.0) / ◆ / ◆	2 (1 x USB 3.0) / • / •
LAN network connection / WLAN (Wi-Fi) integrated	_ •/•	•/•
Antenna IEC / satellite F / CI+ 1.4 ECP certified <sup>7</sup>	1/1/1	1/1/1
Home automation: IP / RJ12 (RS232C) / IR-Link <sup>8</sup> / MU motor control	•/-/-	•/-/-
Mini TOSLINK / center in (via adapter) / cube plug stereo	•/-/-	•/-/-
Audio out control: fix / variable / sub (3.5 mm jack) Kensington anti theft lock	•/•/•	•/•/•
	•	•
Energy		
EU energy efficiency class: SDR (EEI) / HDR (EEI)	G (0,936) / G (1,424)	F (0,766) / G (1,064)
EPREL registration No.: https://eprel.ec.europa.eu/qr	1288779	1387787
Power switch / mains voltages AC	— / 220-240V, 50/60 Hz	— / 220-240V, 50/60 Hz
WoLAN / WoWLAN / Fast Power-On (increased consumption)	•/•/•	•/•/•
Dimensions		
Weight (approx. kg) excl. / incl. standard setup solution	12,0 / 14,8	7,3 / 10,0
W* x H x D (approx. cm) without setup solution (* incl. signature flag)	97.0 x 58.9 x 6.8	72,5 x 45,6 x 7,9
W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)	97,0 x 58,9 x 9,6	72,5 x 45,6 x 8,4
	97,0 x 63,3 x 25,4	72,5 x 49,8 x 25,4
W* x H x D (approx. cm) incl. table stand (* incl. signature flag)		
	300 x 300	100 x 100
VESA support	300 x 300	100 x 100
VESA support Scope of Delivery		
VESA support  Scope of Delivery  Speaker	integrated	integrated
VESA support  Scope of Delivery  Speaker  Setup Solution / rotate-able	integrated table stand c / ●	integrated table stand c / ●
W* x H x D (approx.cm) incl. table stand (* incl. signature flag) VESA support  Scope of Delivery  Speaker  Setup Solution / rotate-able Remote control (incl. batteries)	integrated table stand c / ● Loewe remote alu silver (2x AAA)	integrated table stand c / ● Loewe remote alu silver (2x AAA)
VESA support  Scope of Delivery  Speaker  Setup Solution / rotate-able  Remote control (incl. batteries)  Manual / power cord	integrated table stand c / ●	integrated table stand c / ●
VESA support  Scope of Delivery  Speaker  Setup Solution / rotate-able  Remote control (incl. batteries)  Manual / power cord  Optional accessories	integrated table stand c / ● Loewe remote alu silver (2x AAA)	integrated table stand c / ● Loewe remote alu silver (2x AAA) ● / ● (2 m)
VESA support  Scope of Delivery  Speaker  Setup Solution / rotate-able  Remote control (incl. batteries)  Manual / power cord  Optional accessories	integrated table stand c / ● Loewe remote alu silver (2x AAA) ● / ● (2 m)  floor2ceiling stand	integrated table stand c / ● Loewe remote alu silver (2x AAA) ● / ● (2 m)  floor2ceiling stand
VESA support  Scope of Delivery  Speaker  Setup Solution / rotate-able	integrated table stand c / ● Loewe remote alu silver (2x AAA) ● / ● (2 m)  floor2ceiling stand floor stand universal	integrated table stand c / ● Loewe remote alu silver (2x AAA) ● / ● (2 m)  floor2ceiling stand floor stand c
VESA support  Scope of Delivery  Speaker  Setup Solution / rotate-able  Remote control (incl. batteries)  Manual / power cord  Optional accessories	integrated table stand c / ● Loewe remote alu silver (2x AAA) ● / ● (2 m)  floor2ceiling stand floor stand universal floor stand c	integrated table stand c / ● Loewe remote alu silver (2x AAA) ● / ● (2 m)  floor2ceiling stand floor stand c wall mount slim 221
VESA support  Scope of Delivery  Speaker  Setup Solution / rotate-able  Remote control (incl. batteries)  Manual / power cord  Optional accessories	integrated table stand c / ● Loewe remote alu silver (2x AAA) ● / ● (2 m)  floor2ceiling stand floor stand universal floor stand c wall mount slim 432	integrated table stand c / ● Loewe remote alu silver (2x AAA) ● / ● (2 m)  floor2ceiling stand floor stand c wall mount slim 221 wall mount universal
VESA support  Scope of Delivery  Speaker  Setup Solution / rotate-able  Remote control (incl. batteries)  Manual / power cord  Optional accessories	integrated table stand c / ● Loewe remote alu silver (2x AAA) ● / ● (2 m)  floor2ceiling stand floor stand universal floor stand c	integrated table stand c / ● Loewe remote alu silver (2x AAA) ● / ● (2 m)  floor2ceiling stand floor stand c wall mount slim 221

- = included/installed = not included / possible

  1) according to panel spec typ. values @ HDR 10%

  20 Reception of DVB-T2 HD only in selected countries, may be limited by individual regulations from the respective provider (UK models: Freeview HD compliant)"

  30) bs cs da de et en es fr hr is it lv lt hu nl no pl pt ro sq sk sl sr fi sv el be bg kk mk ru uk tr ar

  4) AV-PIP is only available in combination with DVB-T/C/S
- Via home network and USB
   ARC, ALLM, VRR FHD 48-60 Hz, 4K @ 60 Hz, 18 Gb/s
   CI Plus (CI+) is backwards compatible to CI, functionality depends on module availability from supplier
   Only in conjunction with adapter (to be ordered separatel) and selected devices (RC5, 36 kHz)

### **Technical Data**

Loewe klang	bar5 mr	sub5
Audio		
Acoustic speaker concept	closed bar + klang sub5	closed + passive membranes
Channel configuration (speaker layout)	5.1.2 (surround)	0.1 (subwoofer)
Output (watts sine / music)	220 / 440	180 / 360
Driver (active + passive)	11	6 (2x 6" + 4x 6")
Orientation front / side / up / rear firing	•/•/•/—	radial (motion compensation)
2-channel crossover	active	• low pass
Class-D amp		•
Frequency range (Hz)	60-20.000	35-150
Dolby Audio / Digital / Digital Plus / Volume / Atmos / Atmos Music DTS HD / DTS:X	•/•/•/•/•	_
	•/• •/romato)/dunamia	- (gain adjustment) /
Individual bass and treble control / Loudness	• (remote) / dynamic	• (gain adjustment) / —
Display		
Screen resolution (pixels)	5 x 16 segments	_
Display technology	White D-LED	_
Screen diagonal (cm/inch)	6/2,4	_
Operation		
Smart apps (all: Android + iOS)	DTS Play-Fi, my Loewe app	_
Voice control by Alexa skills	•	_
Software update (via USB / Internet)	• / • (DTS Play-Fi)	_
Multimedia		
Music player	•	
Bluetooth music player FM / DAB+ / Internet radio		<del>-</del>
DTS Play-Fi	• (via DTS Play-FLapp)	
Spotify Connect / Google Cast / Apple AirPlay	•/•/•	
Multiroom audio support	•	(via klang bar mr)
Multichannel home cinema support	• (5.1)	•
Connectivity and Interfaces	(0.1)	
	0. 1101410.01.72 1.417	
HDMI	2 x HDMI 2.0b (incl. 4K pass-through)	_
HDCP 2.2 / HDMI-CEC / ARC / eARC USB	1x USB 2.0	_
Bluetooth		
WLAN (Wi-Fi) integrated	•	
Wireless Digital Audiolink (second generation)	•	•
Optical TOSLINK	•	_
AV receiver analog pre-amp out (5.1 Cinch)	· <del>-</del>	
Analogue audio in (3.5 mm jack)	• (line in)	
	- (	
Network		
WLAN (Wi-Fi) standard	IEEE 802.11a/b/g/n/ac	
WLAN (Wi-Fi) power (max. mW)	<100	<100
WLAN (Wi-Fi) frequency range	2400-2483,5 / 5150-5725 MHz	5725-5850 MHz
WLAN (Wi-Fi) encryption	WEP 64, 128 Bit (ASCII, HEX)	_
WLAN (Wi-Fi) encryption WPA Bluetooth standard	WPA PSK, WPA2 AES, WPS	_
	4.2 <10	
Bluetooth power (max. mW) Bluetooth frequency range	2,4 GHz	
Bluetooth protocols	A2DP SNK, AVRCP	
	NEDI JIM, AVINOI	
Formats		
Supported audio formats	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby	_
	True HD, Dolby Audio, Dolby Digital, Dolby, Digital	
	Plus, Dolby Atmos, Dolby Atmos Music, DTS, DTS	
	HD, DTS Virtual X, DTS Play-Fi	
Supported video formats	4K Video Pass-Through, Dolby Vision, HDR10,	_
	HDR10+	
Energy		
Mains voltages AC	100-240V, 50/60 Hz	100-240V, 50/60 Hz
Power consumption standby / network standby (watts)	<0,5 / 7	<0,5 / <0,5
Environment		
Ambient temperature while in operation	5-35° C	5-35° C
Relative humidity (non-condensing)	20-80%	20-80%
Dimensions		
	CF + 0.0	0.0
Weight (approx. kg) excl. / incl. standard setup solution	6,5 + 8,8	8,8
W* x H x D (approx. cm) without setup solution (* incl. signature flag)	120,0 x 7,1 x 16,0	38,0 x 21,4 x 38,0
Scope of Delivery		
Remote control (incl. batteries)	Loewe remote klang mr (2x CR2032)	_
Manual / power cord	•/•	•/•
Others	HDMI cable	_
Optional accessories		
Selection of recommended setup solutions	floor stand flex, spacer table stand v,	
and audio systems	spacer table stand v, wall mount klang bar, klang	

<sup>• =</sup> available — = not available

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.

56 — **—** 57

Loewe klang

าล	r3	mr	

Audio	
Acoustic speaker concept	closed bar incl. twin drive sub
Channel configuration (speaker layout)	3.1(surround)
Output (watts sine / music)	180 / 360
Driver (active + passive)	9
Orientation front / side / up / rear firing 2-channel crossover	•/•/-/-
z-channel crossover Class-D amp	• active
Frequency range (Hz)	50-20.000
Dolby Audio / Digital / Digital Plus / Volume / Atmos / Atmos Music	<u> </u>
DTS HD / DTS:X	•/•
Individual bass and treble control / Loudness	• (remote) / dynamic
Display	
	F.: 16
Screen resolution (pixels) Display technology	5 x 16 segments White D-LED
Screen diagonal (cm/inch)	6/2.4
	072,4
Operation	
Smart apps (all: Android + iOS)	DTS Play-Fi, my Loewe app
Voice control by Alexa skills	
Software update (via USB / Internet)	● / ● (DTS Play-Fi)
Multimedia	
Music player	•
Bluetooth music player	•
FM / DAB+ / Internet radio	• (via DTS Play-Fi app)
DTS Play-Fi	•
Spotify Connect / Google Cast / Apple AirPlay	•/•/•
Multiroom audio support	•
Multichannel home cinema support	• (5.1)
Connectivity and Interfaces	
HDMI	2 x HDMI 2.0b (incl. 4K pass-through)
HDCP 2.2 / HDMI-CEC / ARC / eARC	●/●/●/●
USB	1 x USB 2.0
Bluetooth	•
WLAN (Wi-Fi) integrated	•
Wireless Digital Audiolink (second generation)	•
Optical TOSLINK	<u> </u>
AV receiver analog pre-amp out (5.1 Cinch)	
Analogue audio in (3.5 mm jack)	• (line in)
Network	
WLAN (Wi-Fi) standard	IEEE 802.11a/b/g/n/ac
WLAN (Wi-Fi) power (max. mW)	<100
WLAN (Wi-Fi) frequency range	2400-2483,5 / 5150-5725 MHz
WLAN (Wi-Fi) encryption	WEP 64, 128 Bit (ASCII, HEX)
WLAN (Wi-Fi) encryption WPA	WPA PSK, WPA2 AES, WPS
Bluetooth standard	5.0 + EDR
Bluetooth power (max. mW)	<10
Bluetooth frequency range	2,4 GHz
Bluetooth protocols	A2DP SNK, AVRCP
Formats	
Supported audio formats	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby True HD, Dolby Audio,
	Dolby Digital, Dolby, Digital Plus, Dolby Atmos, Dolby Atmos Music,
	DTS, DTS HD, DTS Virtual X, DTS Play-Fi
Supported video formats	4K Video Pass-Through, Dolby Vision, HDR10, HDR10+
Energy	
Mains voltages AC	100-240V, 50/60 Hz
Power consumption standby / network standby (watts)	<0,5 / 6
Environment	
	E 25° 0
Ambient temperature while in operation	5-35° C
Relative humidity (non-condensing)	20-80%
Dimensions	
Weight (approx. kg) excl. / incl. standard setup solution	5,9
W* x H x D (approx. cm) without setup solution (* incl. signature flag)	95,0 x 7,1 x 16,0
Scope of Delivery	
Remote control (incl. batteries)	Loewe remote klang mr (2x CR2032)
Manual / power cord	Loewe remote klang mr (2x GR2032)  • / •
manaar, ponor cora	HDMI cable
Others	LIDIVII GODIC
Optional accessories	
Others  Optional accessories  Selection of recommended setup solutions and audio systems	floor stand flex, spacer table stand v, spacer table stand v wall mount klang bar, klang mr5, klang mr3, klang mr1, klang sub5

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.

### **Technical Data**

Loewe klang

Audio		
Acoustic speaker concept	closed + passive membranes	
Channel configuration (speaker layout)	0.1 (subwoofer)	
Output (watts sine / music)	80 / 160	
Driver (active + passive)	6 (2x 4" + 4x 4")	
Orientation front / side / up / rear firing	radial (motion compensation)	
2-channel crossover	• low pass	
Class-D amp		
Frequency range (Hz)	40-100	
Individual bass and treble control / Loudness	• (gain adjustment) / —	
Multimedia		
Multiroom audio support		
Multichannel home cinema support	• (stereo + sub)	
Connectivity and Interfaces		
Bluetooth	<ul> <li>(aptX Low Latency)</li> </ul>	
Wireless Digital Audiolink (second generation)		
Analogue audio in (3.5 mm jack)	• (line in)	
Network		
WLAN (Wi-Fi) standard	5.0	
WLAN (Wi-Fi) power (max. mW)	<10	
WLAN (Wi-Fi) frequency range	2,4 GHz	
WLAN (Wi-Fi) encryption	A2DP SNK, AVRCP	
Energy		
Mains voltages AC	100-240V, 50/60 Hz	
Power consumption standby / network standby (watts)	<0,5 / <0,5	
Environment		
Ambient temperature while in operation	5-35° C	
Relative humidity (non-condensing)	20-80%	
Dimensions		
Weight (approx. kg) excl. / incl. standard setup solution	4,6	
W* x H x D (approx. cm) without setup solution (* incl. signature flag)	28,7 x 15,8 x 28,7	
Scope of Delivery		
Manual / power cord	• / • + transmitter	
Optional accessories		
Selection of recommended setup solutions and audio systems	bild v, bild i, bild c, We. SEE	

sub1

• = available — = not available

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.

58 — — 59

_	Loewe	multi.room amp

Audio (acoustic)		
Channel configuration (speaker layout)	2.0 (stereo)	
2-channel crossover	• (var. level, var. frequency)	
Audio (electric)		
	20.20.000	
Frequency range (Hz) @ ±1 dB Class-D amp	20-20.000	
Power (watts sine / music)	300 / 600 @ 8Ω, 600 / 1.200 @ 4Ω	
Total harmonic distortion @ 1 watt /10 watts	<0.05/<0.05	
Dynamic range / Signal to noise ratio (dB)	24 bit /> 100	
Damping factor of power stage (dB) Scalable output power / limiter / custom tuning	>50	
Bass and treble control / loudness	• (remote) / —	
Balance / gain adjustment (dB)	● / ● (subwoofer)	
Mono mix function	•	
Protection circuit: heat / current / voltage / short cut	. •/•/•/•	
Dolby Audio / Digital / Digital Plus / Volume / Atmos / Atmos Music DTS HD / DTS:X	via klang bar mr via klang bar mr	
131107 013.X	via kiang bai mi	
Operation		
Display technology	White LED + Color LED (dimmable)	
Screen resolution (pixels)	LED line	
Screen diagonal (cm / inch)	6,5 / 2,5	
Smart apps (all: Android + iOS)	DTS Play-Fi, my Loewe app	
Voice control by Alexa skills	• (•/DTS Dlay Fi)	
Software update (via USB / Internet)	●/●(DTS Play-Fi)	
Media and receiption		
USB music player		
Bluetooth music player		
Internet radio	• (via DTS Play-Fi app)	
DTS Play-Fi / Hi-Res Audio	•/•	
Spotify Connect / Google Cast / Apple AirPlay	•/•/•	
Multiroom audio support	• (fresh / seasons)	
Multichannel home cinema support	• (front / rear surround)	
• • • • • • • • • • • • • • • • • • • •		
Connectivity and Interfaces		
HDMI	• (PCM audio only)	
HDCP 2.2 / HDMI-CEC / ARC / eARC USB		
Bluetooth	1X03D2.0	
WLAN (Wi-Fi) integrated		
LAN network connection	2 x RJ45 (daisy chain)	
Wireless Digital Audiolink (second generation)	•	
AV receiver analog pre-amp cinch out 5.1 / 3.1 / 2.1 / 2.0	-/-/•/(gold plated)	
Analogue audio cinch in / out (stereo) Speaker terminals / banana plugs (stereo)		
Wall mount	• (integrated)	
Network and formats	( 10 111)	
WLAN (Wi-Fi) standard	IEEE 802.11a/b/g/n/ac	
WLAN (Wi-Fi) standard WLAN (Wi-Fi) power (max. mW)	<100	
WLAN (Wi-Fi) frequency range	2400-2483,5 / 5150-5725 MHz	
WLAN (Wi-Fi) encryption	WEP 64, 128 Bit (ASCII, HEX)	
WLAN (Wi-Fi) encryption WPA	WPA PSK, WPA2 AES, WPS	
Bluetooth standard	5.0	
Bluetooth power (max. mW) Bluetooth frequency range	<10 2.4 GHz	
Bluetooth protocols	A2DP SNK, AVRCP	
Supported audio formats	PCM, MP3, M4A, AAC, FLAC, WAC, AIFF, Hi-Res AUDIO	
Supported video formats		
Energy and environment		
Mains voltages AC	220-240V, 50/60 Hz	
Power consumption eco standby mode (watts)	0,5	
Power consumption network standby mode (watts)		
Power consumption multiroom sleep mode (watts)	5	
Ambient temperature while in operation Relative humidity (non-condensing)	5-40° C 20-90%	
relative narmally (non-condensing)		
Dimensions		
Mains voltages AC	2,2	
Power consumption standby / network standby (watts)	21,7 × 7,9 × 21,7	
Scope of Delivery		
Remote control (incl. batteries)	Loewe remote mr (2x CR2032)	
Manual / power cord	• /•	
Others	HDMI cable, Quick start guide	
	<del>_</del>	
Optional accessories		
Optional accessories Selection of recommended setup solutions and audio systems	klang bar5 mr, klang bar3 mr, klang mr5, klang mr3, klang mr1	

ullet = available, ullet = not available, ullet = not available

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.

### **Technical Data**

Audio			
Acoustic speaker concept	closed + passive membranes	closed + passive membranes	closed
Channel configuration (speaker layout)	1.0 (mono)	1.0 (mono)	1.0 (mono, rear surround)
Output (watts sine / music)	90 / 180	75 / 150	15/30
Driver (active + passive)	9 (3x 3/4", 3x 2,5", 1x 5" + 2x 5")	6 (3x 2", 1x 3,5" + 2x 3,5")	1 (1x 3")
Orientation front / side / up / rear firing	•/•/-/•	●/●/─/●	•/-/-/-
2-channel crossover	• active	• active	• active
Class-D amp	•	•	•
Frequency range (Hz)	35-20.000	40-20.000	55-20.000
Dolby Audio / Digital / Digital Plus / Volume / Atmos / Atmos Music	via klang bar mr	via klang bar mr	via klang bar mr
DTS HD / DTS:X	via klang bar mr	via klang bar mr	via klang bar mr
Individual bass and treble control / Loudness	• (remote) / dynamic	• (remote) / dynamic	• (remote) / dynamic
Display			
Screen resolution (pixels)	5x 1 dot + 1x line	5x 1 dot + 1x line	5x 1 dot + 1x line
Display technology	White LED + Color LED	White LED + Color LED	White LED + Color LED
Screen diagonal (cm/inch)	6/2,4	6/2,4	6 / 2,4
Operation			
Smart apps (all: Android + iOS)	DTS Play-Fi, my Loewe app	DTS Play-Fi, my Loewe app	DTS Play-Fi, my Loewe app
Voice control by Alexa skills	•	•	•
Software update (via USB / Internet)	●/●(DTS Play-Fi)	<ul><li>/ ● (DTS Play-Fi)</li></ul>	<ul><li> / ● (DTS Play-Fi)</li></ul>
Multimedia			
Music player	•	•	•
Bluetooth music player	•	•	•
FM / DAB+ / Internet radio	(via DTS Play-Fi app)	(via DTS Play-Fi app)	(via DTS Play-Fi app)
DTS Play-Fi	•	•	•
Spotify Connect / Google Cast / Apple AirPlay	•/•/•	•/•/•	•/•/•
Multiroom audio support	•	•	•
Multichannel home cinema support	•	•	•
Connectivity and Interfaces			
USB	1 x USB 2.0 (SW update)	1 x USB 2.0 (SW update)	1 x USB 2.0 (SW update)
Bluetooth	• (5W apaate)	• (Sw update)	• (3W apaate)
WLAN (Wi-Fi) integrated	•	•	•
Wireless Digital Audiolink (second generation)	•	•	•
Analogue audio in (3.5 mm jack)	•	•	•
Network			
WLAN (Wi-Fi) standard	IEEE 802.11a/b/g/n	IEEE 802.11a/b/g/n	IEEE 802.11a/b/g/n
WLAN (Wi-Fi) power (max. mW)	<100	<100	<100
WLAN (Wi-Fi) power (max.mw) WLAN (Wi-Fi) frequency range	2400-2483,5 / 5150-5725 MHz	2400-2483,5 / 5150-5725 MHz	2400-2483,5 / 5150-5725 MHz
WLAN (Wi-Fi) encryption	WEP 64, 128 Bit (ASCII, HEX)	WEP 64, 128 Bit (ASCII, HEX)	WEP 64, 128 Bit (ASCII, HEX)
WLAN (Wi-Fi) encryption WPA	WPA PSK, WPA2 AES, WPS	WPA PSK, WPA2 AES, WPS	WPA PSK, WPA2 AES, WPS
Bluetooth standard	4.2	4.2	4.2
Bluetooth power (max. mW)	<10	<10	<10
Bluetooth frequency range	2,4 GHz	2,4 GHz	2,4 GHz
Bluetooth protocols	A2DP SNK, AVRCP	A2DP SNK, AVRCP	A2DP SNK, AVRCP
Formats			
Supported audio formats	MP3, M4A, AAC, FLAC, WAC, AIFF	MP3, M4A, AAC, FLAC, WAC, AIFF	MP3, M4A, AAC, FLAC, WAC, AIF
	IVII O, IVITA, AMO, I LAO, WAO, AIFF	WI S, WITH, MAG, I LAG, WAG, AIFF	IVII O, IVITA, AMO, I EAO, WAC, AII
Energy			
Mains voltages AC	100-240V, 50/60 Hz	100-240V, 50/60 Hz	100-240V, 50/60 Hz
Power consumption standby / network standby (watts)	<0,3 / 4-7	<0,3 / 4-7	<0,3 / 4-7
Environment			
Ambient temperature while in operation	5-35° C	5-35° C	5-35° C
Relative humidity (non-condensing)	20-80%	20-80%	20-80%
Dimensions			
	F 0	2.7	1.2
Weight (approx. kg) excl. / incl. standard setup solution  W* x H x D (approx. cm) without setup solution (* incl. signa-	5,9 22,5 x 40,1 x 21,5	3,2 19,6 x 32,1 x 18,7	1,2 16,0 x 18,8 x 15,4
w* x H x D (approx. cm) without setup solution (* incl. signa- ture flag)	C,12 X 1,U4 X C,22	13,U X 3∠,1 X 10,/	4,C1 X 0,O1 X U,U1
Scope of Delivery			
Manual / power cord	•/•	•/•	•/•
Optional accessories			
Selection of recommended setup solutions and audio systems	remote klang mr, klang bar5 mr, klang bar3 mr, klang mr5, klang mr3, klang mr1, iconic v, iconic i	remote klang mr, klang bar5 mr, klang bar3 mr, klang mr5, klang mr3, klang mr1, iconic v, iconic i	remote klang mr, klang bar5 mr, klang bar3 mr, klang mr5, klang klang mr1, iconic v, iconic i

<sup>• =</sup> available — = not availabl

-60

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.

Loewe klang klang s3 klang s1 Part number 60607D10 - Basalt grey, 60607S10 - Light grey AC 100 V - 240 V ~ 50/60 Hz 60608D10 - Basalt grey, 60608S10 - Light grey AC 100 V - 240 V ~ 50/60 Hz Audio output power Power supply
Power consumption in standby mode 2 x 30W DAB tuning range BAND III 174.928 MHz - 239.200 MHz 174.928 MHz - 239.200 MHz 87,50 MHz – 108,00 MHz 87,50 MHz – 108,00 MHz IEEE 802.11a/b/g/n
Maximum power <100 mW bei 2412 - 2472 MHz WLAN supported Standards 35 Hz – 150 Hz Maximum power <100 mW bei 2412 - 2472 MHz WLAN power/frequency range Maximum power <100 mW bei 5180 - 5320 MHz Maximum power <100 mW bei 5180 - 5320 MHz Maximum power <100 mW bei 5500 - 5700 MHz Maximum power <100 mW bei 5500 - 5700 MHz WLAN supported encryption
WLAN supported streaming formats WEP, WPA, WPA2 (PSK), WPS MP3, AAC / AAC + (bis zu 48 kHz, 16 Bit) WEP, WPA, WPA2 (PSK), WPS MP3, AAC / AAC + (bis zu 48 kHz, 16 Bit) Bluetooth version V4.2 V4.2 Maximum power <10 mW at 2402 - 2480 MHz A2DP, AVRCP Maximum power <10 mW at 2402 - 2480 MHz A2DP, AVRCP Bluetooth power/frequency range Bluetooth protocols USB playable files MP3 (Bit rates: 32 - 320 kBit/s) MP3 (Bit rates: 32 - 320 kBit/s) CD formats CD-DA, CD-R, CD-RW, MP3; (nur 12-cm-Disc) 335 x 120 x 90 mm Device dimensions (W x H x D) 460 x 160 x 90 mm Device weight 4,8 kg

radio.frequency

• / USB-C cable (90 cm)
USB-C power adapter (EU, UK, AUS)

### **Technical Data**

Loewe

radio.frequency		
Audio		
Acoustic speaker concept	closed + passive membranes	
Channel configuration (speaker layout)	2.0 (stereo)	
Output (watts sine / music)	14/28	
Driver (active + passive)	2 (2x 2,5")	
Orientation front / side / up / rear firing	<u>∠(∠x∠,5)</u> •/-/-/-	
2-channel crossover		
Class-D amp		
Frequency range (Hz)	80-20.000	
Individual bass and treble control / Loudness	• (EQ settings)	
Display		
Screen resolution (pixels)	multi segment	
Display technology	LCD (dimmable)	
Screen diagonal (cm/inch)	7,0 / 2,7	
Receiption		
DAB receiption band III (MHz) / EWF	174.9 - 239.2 / ●	
UKW (analog FM radio) / RDS	87,5 - 108,0 / ●	
Operation		
Smart apps (all: Android + iOS)	my Loewe app	
Multimedia		
Bluetooth music player	•	
FM / DAB+ / Internet radio	•/•/—	
Connectivity and Interfaces		
USB	1 x USB-C (charge)	
Bluetooth	•	
Headphone out	•	
Antenna IEC	• (fixed telescope)	
Kensington anti theft lock	•	
Network		
Bluetooth standard	5.0	
Bluetooth power (max. mW)	3	
Bluetooth frequency range	2.4 GHz	
Bluetooth protocols	A2DP SNK, AVRCP	
Energy		
Mains voltages AC	100-240V, 50/60 Hz	
Power consumption standby / network standby (watts)	<0.75 / — (original power supply)	
Mobility		
Battery type	7,4V / 2200mAh	
Charging current	9V. 2A	
Charging time	3h	
Playing time	12-14h @ 60dB	
Environment		
Ambient temperature while in operation	5-40° C	
	35-90%	
Relative humidity (non-condensing)	30-30%	
Dimensions Which (common lea) and discontinuous additions	10	
Weight (approx. kg) excl. / incl. standard setup solution	1,2 21,1 x 13.2 x 6.8	
W* x H x D (approx. cm) without setup solution (* incl. signature flag)	0,0 X 2,C1 X 1,12	

Manual / power cord

62 **—** 

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.

### **Technical information**

We. SEE

We. SEE	55	50	43	32
Image				
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Full HD (1920 x 1080)
	LCD + E-LED (semi mat)	LCD + E-LED (semi mat)		
Display technology			LCD + E-LED (semi mat)	LCD + E-LED (semi mo
Screen diagonal (cm/inch) / Response time (ms)	139 / 55 / 8	127 / 50 / 8	108 / 43 / 8	81 / 32 / 6,5
Panel luminance <sup>1</sup> (cd/m <sup>2</sup> ) / Viewing angle (h/v)	550 / 178°	550 / 178°	450 / 178°	350 / 178°
Ultra HD scaling / Image+ Active / Adaptive Contrast / 24p	•/-/•/•	•/-/•/•	•/-/•/•	<b>-/-/•/•</b>
HDR (HLG / HDR10 / Dolby Vision™) / WCG	•/•/•/•	•/•/•/•	•/•/•/•	•/•/-/•
Auto-dimming interior (OPC) / Ambient brightness control	•/•	•/•	•/•	•/•
				-, -
Receiption				
DVB-T2/C/\$2 HD / Multi ATV / Unicable / Dual Channel	● <sup>28</sup> / ● / ● / —	● <sup>28</sup> / ● / ● / —	● <sup>2B</sup> / ● / ● / —	• <sup>28</sup> / • / • / —
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	•/•/•/•	●/●/●/●	•/•/•/•	•/•/•/•
Sat over IP / DVB-C over IP / DVB radio	-/-/•	-/-/•	<b>-/-/•</b>	<b>-/-/•</b>
Audio				
Output (watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 6	2 x 20 / 2 x 40 / 6	2 x 15 / 2 x 30 / 4	2 x 15 / 2 x 30 / 4
Acoustic speaker concept	Speaker box + bass reflex	Speaker box + bass reflex	Speaker box + bass reflex	Speaker box + bass re
Magic moment / front firing / down firing / 2-channel crossover	<b>-/•/-/•</b>	<b>-/•/-/•</b>	-/•/-/-	-/•/-/-
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
Class-D amp / Auto Volume (AVC) / Mimi Sound Personalization	•/•/-	•/•/-	•/•/-	•/•/-
Individual bass and treble control / Loudness	7-Band EQ / —	7-Band EQ / —	7-Band EQ / —	7-Band EQ / —
Operation				
Loewe chassis / os / home screen (incl. favorites)	SL7 / os7 / ●	SL7 / os7 / •	SL7 / os7 / •	SL7 / os7 / •
Loewe app / Vidaa app / my Loewe app (all: Android + iOS)	—/ • / •	—/ • / •	-/•/•	—/ • / •
Voice control by Alexa skills / Vidaa voice			<u> </u>	•/•
*	•/•	•/•	•/•	
Electronic Program Guide / EPG key word search	•/-	•/-	•/-	•/-
Mediatext (HbbTV) / Teletext / page memory	•/•/792	<ul><li>/ ● / 792</li></ul>	<ul><li>/ ● / 792</li></ul>	●/●/792
Menu languages / Context related help	• <sup>38</sup> / •	● <sup>3B</sup> / ●	● <sup>3B</sup> / ●	● <sup>38</sup> / ●
Parental Lock / Automatic turn-off / Timer	•/•/•	•/•/•	•/•/•	•/•/•
Instant Channel Zapping / Quick Start Mode	<b>-/•</b>	<b>−</b> / •	<b>−</b> / •	<b>-/•</b>
Number of stations in channel list incl. AV and radio	10.000	10.000	10.000	10.000
PIP (AV) <sup>4</sup> / Full PIP / Splitscreen TV:Videotext	<b>-/-/•</b>	-/-/•	-/-/•	<b>-/-/•</b>
Software update (via USB / Internet)	•/•	•/•	•/•	•/•
Hotel Mode (Standard / CEC / IP / RS232)	•/-/-/-	•/-/-/-	•/-/-/-	•/-/-/-
Multimedia				
Loewe dr+: storage capacity (GB) / USB recording / timeshift	<b>-/•/•</b>	<b>-/•/•</b>	<b>-/•/•</b>	-/•/•
Loewe dr+: streaming server / client / follow-me	<b>-/•/-</b>	<b>-/•/-</b>	<b>-/•/-</b>	<b>-/•/-</b>
Music player / Photo player / Video player <sup>5</sup>	•/•/•	•/•/•	•/•/•	•/•/•
Digital Media Renderer (incl. Ultra HD) / Bluetooth music player	•/•	•/•	•/•	•/•
Internet apps / Internet browser / Internet radio	• / • / • (via radio app)	• / • / • (via radio app)	•/•/• (via radio app)	●/●/● (via radio a
YouTube / Amazon prime video / Netflix / Disney+/ Apple tv+	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
Connectivity and Interfaces				
HDMI 2.0b / HDMI 2.16	4 x HDMI 2.1	4 x HDMI 2.1	4 x HDMI 2.1	3 x HDMI 2.1
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
USB / Bluetooth / screen mirroring (Miracast)	2 (1 x USB 3.0) / •/•	2 (1 x USB 3.0) / •/•	2 (1 x USB 3.0) / •/•	2 (1 x USB 3.0) / • / •
LAN network connection / WLAN (Wi-Fi) integrated	•/•	•/•	•/•	•/•
Antenna IEC / satellite F / CI+ 1.4 ECP certified <sup>7</sup>	1/1/1	1/1/1	1/1/1	1/1/1
Home automation: IP / RJ12 (RS232C) / IR-Link® / MU motor control	•/-/-/-	•/-/-/-	•/-/-/-	•/-/-/-
Mini TOSLINK / center in (via adapter) / cube plug stereo	•/-/-	•/-/-	•/-/-	•/-/-
Audio out control: fix / variable / sub (3.5 mm jack)	•/•/•	•/•/•	•/•/•	•/•/•
Kensington anti theft lock	•	•	•	•
Energy				
EU energy efficiency class: SDR (EEI) / HDR (EEI)	F (0,877) / G (1,383)	F (0,838) / G (1,210)	G (0,936) / G (1,424)	7F (0,766) / G (1,064
EPREL registration No.: https://eprel.ec.europa.eu/qr	/0000/	/ E0 E22	1288803	1387803
Power switch / mains voltages AC	620986	650532		
	— / 220-240V, 50/60 Hz	— / 220-240V, 50/60 Hz	— / 220-240V, 50/60 Hz	
WoLAN / WoWLAN / Fast Power-On (increased consumption)				
	— / 220-240V, 50/60 Hz	— / 220-240V, 50/60 Hz	— / 220-240V, 50/60 Hz	— / 220-240V, 50/60
Dimensions	— / 220-240V, 50/60 Hz ● / ● / ●	— / 220-240V, 50/60 Hz • / • / •	— / 220-240V, 50/60 Hz • / • / •	— / 220-240V, 50/60 ● / ● / ●
Dimensions Weight (approx. kg) excl. / incl. standard setup solution	- / 220-240V, 50/60 Hz • / • / •  18,6 / 24,1	- / 220-240V, 50/60 Hz • / • / •  16,2 / 21,7	- / 220-240V, 50/60 Hz • / • / •  12,1 / 15,1	- / 220-240V, 50/60 • / • / •  7,2 / 10,3
Dimensions Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag)	- / 220-240V, 50/60 Hz  • / • / •  18,6 / 24,1  124,4 x 74,1 x 7,6	- / 220-240V, 50/60 Hz • / • / •  16,2 / 21,7  113,0 × 67,6 × 7,6	- / 220-240V, 50/60 Hz • / • / •  12,1 / 15,1  97,5 x 58,9 x 6,6	-/220-240V, 50/60 •/•/•  7,2/10,3  73,1 x 45,6 x 7,6
Dimensions Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag)	- / 220-240V, 50/60 Hz • / • / •  18,6 / 24,1	- / 220-240V, 50/60 Hz • / • / •  16,2 / 21,7	- / 220-240V, 50/60 Hz • / • / •  12,1 / 15,1	- / 220-240V, 50/60 • / • / •  7,2 / 10,3
Dimensions Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)	- / 220-240V, 50/60 Hz  • / • / •  18,6 / 24,1  124,4 x 74,1 x 7,6	- / 220-240V, 50/60 Hz • / • / •  16,2 / 21,7  113,0 × 67,6 × 7,6	- / 220-240V, 50/60 Hz • / • / •  12,1 / 15,1  97,5 x 58,9 x 6,6	-/220-240V, 50/60 •/•/•  7,2/10,3  73,1 x 45,6 x 7,6
Dimensions  Weight (approx. kg) excl. / incl. standard setup solution  W* x H x D (approx. cm) without setup solution (* incl. signature flag)  W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)  W* x H x D (approx. cm) incl. table stand (* incl. signature flag)	-/ 220-240V, 50/60 Hz  •/ •/ •  18,6 / 24,1  124,4 x 74,1 x 7,6  124,4 x 74,1 x 9,4	- / 220-240V, 50/60 Hz • / • / •  16,2 / 21,7  113,0 × 67,6 × 7,6  113,0 × 67,6 × 9,4	- / 220-240V, 50/60 Hz  • / • / •  12.1 / 15.1  97.5 x 58.9 x 6.6  97.5 x 58.9 x 9.4  97.5 x 60.2 x 20.2	-/ 220-240V, 50/60 •/ •/ •  7,2 / 10,3 73,1 x 45,6 x 7,6 73,1 x 45,6 x 8,2
Dimensions  Weight (approx. kg) excl. / incl. standard setup solution  W* X H x D (approx. cm) without setup solution (* incl. signature flag)  W* X H x D (approx. cm) incl. wall mount slim (* incl. signature flag)  W* X H x D (approx. cm) incl. table stand (* incl. signature flag)  VESA support	18.6 / 24.1 124.4 x 74.1 x 7.6 124.4 x 75.1 x 26.3	- / 220-240V, 50/60 Hz  • / • / •  16,2 / 21,7  113,0 × 67,6 × 7,6  113,0 × 67,6 × 9,4  113,0 × 68,9 × 26,3	- / 220-240V, 50/60 Hz  • / • / •  12,1 / 15,1  97,5 x 58,9 x 6,6  97,5 x 58,9 x 9,4	-/ 220-240V, 50/60 •/•/•  7.2 / 10,3  73,1 x 45,6 x 7,6  73,1 x 45,6 x 8,2  73,1 x 46,7 x 20,2
Dimensions  Weight (approx. kg) excl. / incl. standard setup solution  W* X H x D (approx. cm) without setup solution (* incl. signature flag)  W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)  W* x H x D (approx. cm) incl. table stand (* incl. signature flag)  VESA support  Scope of Delivery	- / 220-240V, 50/60 Hz  • / • / •  18,6 / 24,1  124,4 × 74,1 × 7,6  124,4 × 74,1 × 9,4  124,4 × 75,1 × 26,3  400 × 200	— / 220-240V, 50/60 Hz • / • / • 1 16.2 / 21.7 113,0 × 67.6 × 7.6 113,0 × 67.6 × 9.4 113,0 × 68,9 × 26,3 300 × 200	— / 220-240V, 50/60 Hz  • / • / •  12.1 / 15.1  97.5 x 58.9 x 6.6  97.5 x 58.9 x 9.4  97.5 x 60.2 x 20.2  300 x 300	-/ 220-240V, 50/60  •/ •/ •  7.2 / 10.3  73.1 x 45.6 x 7.6  73.1 x 45.6 x 8.2  73.1 x 46.7 x 20.2  100 x 100
Dimensions  Weight (approx. kg) excl. / incl. standard setup solution  W* x H x D (approx. cm) without setup solution (* incl. signature flag)  W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)  W* x H x D (approx. cm) incl. table stand (* incl. signature flag)  VESA support  Scope of Delivery  Speaker	18.6 / 24.1 124.4 x 74.1 x 7.6 124.4 x 75.1 x 26.3 400 x 200	-/ 220-240V, 50/60 Hz  •/•/•  16.2 / 21.7  113.0 × 67.6 × 7.6  113.0 × 67.6 × 9.4  113.0 × 68.9 × 26.3  300 × 200  integrated	- / 220-240V, 50/60 Hz  • / • / •  12.1 / 15.1  97.5 x 58.9 x 6.6  97.5 x 58.9 x 9.4  97.5 x 60.2 x 20.2  300 x 300  integrated	-/ 220-240V, 50/60  •/ •/ •  7.2 / 10.3  73.1 x 45.6 x 7.6  73.1 x 45.6 x 8.2  73.1 x 46.7 x 20.2  100 x 100  integrated
Dimensions  Weight (approx. kg) excl. / incl. standard setup solution  W* x H x D (approx. cm) without setup solution (* incl. signature flag)  W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)  W* x H x D (approx. cm) incl. table stand (* incl. signature flag)  VESA support  Scope of Delivery  Speaker	- / 220-240V, 50/60 Hz  • / • / •  18,6 / 24,1  124,4 × 74,1 × 7,6  124,4 × 74,1 × 9,4  124,4 × 75,1 × 26,3  400 × 200	— / 220-240V, 50/60 Hz • / • / • 1 16.2 / 21.7 113,0 × 67.6 × 7.6 113,0 × 67.6 × 9.4 113,0 × 68,9 × 26,3 300 × 200	— / 220-240V, 50/60 Hz  ● / ● / ●  12.1 / 15.1  97.5 x 58.9 x 6.6  97.5 x 58.9 x 9.4  97.5 x 60.2 x 20.2  300 x 300	-/ 220-240V, 50/60  •/ •/ •  7.2 / 10.3  73.1 x 45.6 x 7.6  73.1 x 45.6 x 8.2  73.1 x 46.7 x 20.2  100 x 100
Dimensions  Weight (approx. kg) excl. / incl. standard setup solution  W* x H x D (approx. cm) without setup solution (* incl. signature flag)  W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)  W* x H x D (approx. cm) incl. table stand (* incl. signature flag)  VESA support  Scope of Delivery  Speaker  Setup Solution / rotate-able	18.6 / 24.1 124.4 x 74.1 x 7.6 124.4 x 75.1 x 26.3 400 x 200	-/ 220-240V, 50/60 Hz  •/•/•  16.2 / 21.7  113.0 × 67.6 × 7.6  113.0 × 67.6 × 9.4  113.0 × 68.9 × 26.3  300 × 200  integrated	- / 220-240V, 50/60 Hz  • / • / •  12.1 / 15.1  97.5 x 58.9 x 6.6  97.5 x 58.9 x 9.4  97.5 x 60.2 x 20.2  300 x 300  integrated	-/ 220-240V, 50/60  •/•/•  7,2/10,3  73,1 x 45,6 x 7,6  73,1 x 45,6 x 8,2  73,1 x 46,7 x 20,2  100 x 100  integrated  table stand /
Dimensions  Weight (approx. kg) excl. / incl. standard setup solution  W* x H x D (approx. cm) without setup solution (* incl. signature flag)  W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)  W* x H x D (approx. cm) incl. table stand (* incl. signature flag)  VESA support  Scope of Delivery  Speaker  Setup Solution / rotate-able  Remote control (incl. batteries)	-/ 220-240V, 50/60 Hz  •/ •/ •  18,6 / 24,1  124,4 x 74,1 x 7,6  124,4 x 74,1 x 9,4  124,4 x 75,1 x 26,3  400 x 200  integrated table stand / — We. REMOTE black (2x	— / 220-240V, 50/60 Hz ● / ● / ● / 16,2 / 21,7 113,0 x 67,6 x 7,6 113,0 x 67,6 x 9,4 113,0 x 68,9 x 26,3 300 x 200 integrated table stand /— We. REMOTE black (2x	- / 220-240V, 50/60 Hz  • / • / •  12,1 / 15,1  97.5 x 58,9 x 6,6  97.5 x 58,9 x 9,4  97.5 x 60,2 x 20,2  300 x 300  integrated table stand / -  We. REMOTE black (2x	- / 220-240V, 50/60  • / • / •  7,2 / 10,3  73,1 x 45,6 x 7,6  73,1 x 45,6 x 8,2  73,1 x 46,7 x 20,2  100 x 100  integrated table stand / —  We. REMOTE black (2
Dimensions  Weight (approx. kg) excl. / incl. standard setup solution  W* x H x D (approx. cm) without setup solution (* incl. signature flag)  W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)  W* x H x D (approx. cm) incl. table stand (* incl. signature flag)  VESA support  Scope of Delivery  Speaker  Setup Solution / rotate-able  Remote control (incl. batteries)	- / 220-240V, 50/60 Hz  • / • / •  18,6 / 24,1  124,4 × 74,1 × 7,6  124,4 × 75,1 × 26,3  400 × 200  integrated table stand / — We, REMOTE black [2x AAA]	— / 220-240V, 50/60 Hz • / • / • / • / • / • / 16,2 / 21,7 113,0 × 67,6 × 7,6 113,0 × 67,6 × 9,4 113,0 × 68,9 × 26,3 300 × 200 integrated table stand / — We. REMOTE black (2x AAA)	— / 220-240V, 50/60 Hz  • / • / •  12.1 / 15.1  97.5 x 58.9 x 6.6  97.5 x 58.9 x 9.4  97.5 x 60.2 x 20.2  300 x 300  integrated table stand / — We. REMOTE black (2x  AAA)	-/ 220-240V, 50/60  •/•/•  7.2 / 10,3  7.3,1 x 45,6 x 7,6  73,1 x 45,6 x 8,2  73,1 x 46,7 x 20,2  100 x 100  integrated table stand / — We, REMOTE black [2  AAA]
Dimensions  Weight (approx. kg) excl. / incl. standard setup solution  W* x H x D (approx. cm) without setup solution (* incl. signature flag)  W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)  W* x H x D (approx. cm) incl. table stand (* incl. signature flag)  VESA support  Scope of Delivery  Speaker  Setup Solution / rotate-able  Remote control (incl. batteries)  Manual / power cord	-/ 220-240V, 50/60 Hz  •/ •/ •  18,6 / 24,1  124,4 x 74,1 x 7,6  124,4 x 74,1 x 9,4  124,4 x 75,1 x 26,3  400 x 200  integrated table stand / — We. REMOTE black (2x	— / 220-240V, 50/60 Hz ● / ● / ● / 16,2 / 21,7 113,0 x 67,6 x 7,6 113,0 x 67,6 x 9,4 113,0 x 68,9 x 26,3 300 x 200 integrated table stand /— We. REMOTE black (2x	- / 220-240V, 50/60 Hz  • / • / •  12,1 / 15,1  97.5 x 58,9 x 6,6  97.5 x 58,9 x 9,4  97.5 x 60,2 x 20,2  300 x 300  integrated table stand / -  We. REMOTE black (2x	- / 220-240V, 50/60  • / • / •  7,2 / 10,3  73,1 x 45,6 x 7,6  73,1 x 45,6 x 8,2  73,1 x 46,7 x 20,2  100 x 100  integrated table stand / —  We. REMOTE black (2
Dimensions  Weight (approx. kg) excl. / incl. standard setup solution  W* x H x D (approx. cm) without setup solution (* incl. signature flag)  W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)  W* x H x D (approx. cm) incl. table stand (* incl. signature flag)  VESA support  Scope of Delivery  Speaker  Setup Solution / rotate-able  Remote control (incl. batteries)  Manual / power cord	- / 220-240V, 50/60 Hz  • / • / •  18,6 / 24,1  124,4 × 74,1 × 7,6  124,4 × 75,1 × 26,3  400 × 200  integrated table stand / — We, REMOTE black [2x AAA]	— / 220-240V, 50/60 Hz • / • / • / • / • / • / 16,2 / 21,7 113,0 × 67,6 × 7,6 113,0 × 67,6 × 9,4 113,0 × 68,9 × 26,3 300 × 200 integrated table stand / — We. REMOTE black (2x AAA)	— / 220-240V, 50/60 Hz  • / • / •  12.1 / 15.1  97.5 x 58.9 x 6.6  97.5 x 58.9 x 9.4  97.5 x 60.2 x 20.2  300 x 300  integrated table stand / — We. REMOTE black (2x  AAA)	-/ 220-240V, 50/60  •/•/•  7.2 / 10,3  7.3,1 x 45,6 x 7,6  73,1 x 45,6 x 8,2  73,1 x 46,7 x 20,2  100 x 100  integrated table stand / — We, REMOTE black [2  AAA]
Dimensions  Weight (approx. kg) excl. / incl. standard setup solution  W* x H x D (approx. cm) without setup solution (* incl. signature flag)  W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)  W* x H x D (approx. cm) incl. table stand (* incl. signature flag)  VESA support  Scope of Delivery  Speaker  Setup Solution / rotate-able  Remote control (incl. batteries)  Manual / power cord  Optional accessories	- / 220-240V, 50/60 Hz  • / • / •  18,6 / 24,1  124,4 × 74,1 × 7,6  124,4 × 75,1 × 26,3  400 × 200  integrated table stand / — We, REMOTE black [2x AAA]	— / 220-240V, 50/60 Hz • / • / • / • / • / • / 16,2 / 21,7 113,0 × 67,6 × 7,6 113,0 × 67,6 × 9,4 113,0 × 68,9 × 26,3 300 × 200 integrated table stand / — We. REMOTE black (2x AAA)	— / 220-240V, 50/60 Hz  • / • / •  12.1 / 15.1  97.5 x 58.9 x 6.6  97.5 x 58.9 x 9.4  97.5 x 60.2 x 20.2  300 x 300  integrated table stand / — We. REMOTE black (2x  AAA)	-/ 220-240V, 50/60  •/•/•  7.2 / 10,3  7.3,1 x 45,6 x 7,6  73,1 x 45,6 x 8,2  73,1 x 46,7 x 20,2  100 x 100  integrated table stand / — We, REMOTE black [2  AAA]
Dimensions  Weight (approx. kg) excl. / incl. standard setup solution  W* x H x D (approx. cm) without setup solution (* incl. signature flag)  W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)  W* x H x D (approx. cm) incl. table stand (* incl. signature flag)  VESA support  Scope of Delivery  Speaker  Setup Solution / rotate-able  Remote control (incl. batteries)  Manual / power cord  Optional accessories	- / 220-240V, 50/60 Hz  • / • / •  18,6 / 24,1  124,4 × 74,1 × 7,6  124,4 × 74,1 × 9,4  124,4 × 75,1 × 26,3  400 × 200  integrated table stand / —  We. REMOTE black (2x  AAA)  • / • (2 m)	— / 220-240V, 50/60 Hz  • / • / •  16.2 / 21.7  113,0 × 67.6 × 7.6  113,0 × 67.6 × 9.4  113,0 × 68,9 × 26,3  300 × 200  integrated table stand / —  We. REMOTE black (2x  AAA)  • / • (2 m)	— / 220-240V, 50/60 Hz  • / • / •  12,1 / 15,1  97,5 x 58,9 x 6,6  97,5 x 58,9 x 9,4  97,5 x 60,2 x 20,2  300 x 300  integrated table stand / —  We. REMOTE black (2x  AAA)  • / • (2 m)	— / 220-240V, 50/60  • / • / •  7.2 / 10,3  73,1 x 45,6 x 7,6  73,1 x 45,6 x 8,2  73,1 x 46,7 x 20,2  100 x 100  integrated table stand / —  We, REMOTE black (2 AAA)  • / • (2 m)
Dimensions  Weight (approx. kg) excl. / incl. standard setup solution  W* x H x D (approx. cm) without setup solution (* incl. signature flag)  W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)  W* x H x D (approx. cm) incl. table stand (* incl. signature flag)  VESA support  Scope of Delivery  Speaker  Setup Solution / rotate-able  Remote control (incl. batteries)  Manual / power cord  Optional accessories	-/ 220-240V, 50/60 Hz  •/ •/ •  18,6 / 24,1  124,4 x 74,1 x 7,6  124,4 x 74,1 x 9,4  124,4 x 75,1 x 26,3  400 x 200  integrated table stand / — We. REMOTE black (2x  AAA)  •/ • (2 m)  floor2ceiling stand floor stand universal	— / 220-240V, 50/60 Hz  • / • / •  16.2 / 21.7  113,0 × 67.6 × 7.6  113,0 × 68,9 × 26,3  300 × 200  integrated table stand / —  We. REMOTE black (2x  AAA)  • / • (2 m)  floor2ceiling stand floor stand universal	— / 220-240V, 50/60 Hz  • / • / •  12.1 / 15.1  97.5 x 58.9 x 6.6  97.5 x 58.9 x 9.4  97.5 x 60.2 x 20.2  300 x 300  integrated table stand / —  We. REMOTE black (2x  AAA)  • / • (2 m)  floor2ceiling stand floor stand universal	— / 220-240V, 50/60  • / • / •  7.2 / 10,3  73,1 x 45,6 x 7,6  73,1 x 45,6 x 8,2  73,1 x 46,7 x 20,2  100 x 100  integrated table stand / —  We. REMOTE black (2  AAA)  • / • (2 m)  floor2ceiling stand floor stand c
Dimensions  Weight (approx. kg) excl. / incl. standard setup solution  W* x H x D (approx. cm) without setup solution (* incl. signature flag)  W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)  W* x H x D (approx. cm) incl. table stand (* incl. signature flag)  VESA support  Scope of Delivery  Speaker  Setup Solution / rotate-able  Remote control (incl. batteries)  Manual / power cord  Optional accessories	- / 220-240V, 50/60 Hz  • / • / •  18.6 / 24,1  124,4 × 74,1 × 7.6  124,4 × 75,1 × 26,3  400 × 200  integrated table stand / — We, REMOTE black (2x  AAA)  • / • (2 m)  floor2ceiling stand floor stand universal wall mount slim 432	— / 220-240V, 50/60 Hz  • / • / •  16.2 / 21.7  113.0 × 67.6 × 7.6  113.0 × 67.6 × 9.4  113.0 × 68.9 × 26.3  300 × 200  integrated table stand / — We. REMOTE black (2x  AAA)  • / • (2 m)  floor2ceiling stand floor stand universal floor stand c	— / 220-240V, 50/60 Hz  • / • / •  12.1 / 15.1  97.5 x 58.9 x 6.6  97.5 x 58.9 x 9.4  97.5 x 60.2 x 20.2  300 x 300  integrated table stand / — We. REMOTE black (2x  AAA)  • / • (2 m)  floor2ceiling stand floor stand universal floor stand c	— / 220-240V, 50/60  • / • / •  7.2 / 10,3  73,1 x 45,6 x 7,6  73,1 x 45,6 x 8,2  73,1 x 46,7 x 20,2  100 x 100  integrated table stand / — We. REMOTE black [2  AAA]  • / • (2 m)  floor2ceiling stand floor stand c wall mount slim 221
Dimensions  Weight (approx. kg) excl. / incl. standard setup solution  W* x H x D (approx. cm) without setup solution (* incl. signature flag)  W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)  W* x H x D (approx. cm) incl. table stand (* incl. signature flag)  VESA support  Scope of Delivery  Speaker  Setup Solution / rotate-able  Remote control (incl. batteries)  Manual / power cord  Optional accessories	- / 220-240V, 50/60 Hz  • / • / •  18,6 / 24,1  124,4 × 74,1 × 7,6  124,4 × 75,1 × 26,3  400 × 200  integrated table stand / — We, REMOTE black (2x  AAA)  • / • (2 m)  floor2ceiling stand floor stand universal wall mount slim 432 wall mount universal	— / 220-240V, 50/60 Hz  • / • / •  16,2 / 21,7  113,0 × 67,6 × 7,6  113,0 × 67,6 × 9,4  113,0 × 68,9 × 26,3  300 × 200  integrated table stand / — We, REMOTE black (2x  AAA)  • / • (2 m)  floor2ceiling stand floor stand universal floor stand c wall mount slim 432	— / 220-240V, 50/60 Hz  • / • / •  12,1 / 15,1  97,5 x 58,9 x 6,6  97,5 x 58,9 x 9,4  97,5 x 60,2 x 20,2  300 x 300  integrated table stand /— We, REMOTE black (2x  AAA)  • / • (2 m)  floor2ceiling stand floor stand universal floor stand c wall mount slim 432	— / 220-240V, 50/60  • / • / •  7.2 / 10.3  73,1 x 45,6 x 7,6  73,1 x 45,6 x 8,2  73,1 x 46,7 x 20,2  100 x 100  integrated table stand / — We. REMOTE black (2  AAA)  • / • (2 m)  floor2ceiling stand floor stand c wall mount slim 221 wall mount universa
Dimensions  Weight (approx. kg) excl. / incl. standard setup solution  W* x H x D (approx. cm) without setup solution (* incl. signature flag)  W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)  W* x H x D (approx. cm) incl. table stand (* incl. signature flag)  VESA support  Scope of Delivery  Speaker  Setup Solution / rotate-able  Remote control (incl. batteries)  Manual / power cord  Optional accessories	- / 220-240V, 50/60 Hz  • / • / •  18,6 / 24,1  124,4 × 74,1 × 7,6  124,4 × 74,1 × 9,4  124,4 × 75,1 × 26,3  400 × 200  integrated table stand / — We. REMOTE black (2x  AAA)  • / • (2 m)  floor stand universal wall mount slim 432 wall mount universal klang bar5 mr	— / 220-240V, 50/60 Hz  • / • / •  16.2 / 21.7  113.0 × 67.6 × 7.6  113.0 × 67.6 × 9.4  113.0 × 68.9 × 26.3  300 × 200  integrated table stand /— We. REMOTE black (2x  AAA)  • / • (2 m)  floor2ceiling stand floor stand universal floor stand c wall mount slim 432 wall mount universal	— / 220-240V, 50/60 Hz  • / • / •  12.1 / 15.1  97.5 × 58.9 × 6.6  97.5 × 58.9 × 9.4  97.5 × 60.2 × 20.2  300 × 300  integrated table stand / — We. REMOTE black (2x  AAA)  • / • (2 m)  floor2ceiling stand floor stand universal floor stand c wall mount slim 432 wall mount universal	— / 220-240V, 50/60  • / • / •  7.2 / 10.3  73.1 x 45.6 x 7.6  73.1 x 45.6 x 8.2  73.1 x 46.7 x 20.2  100 x 100  integrated table stand / —  We. REMOTE black (2  AAA)  • / • (2 m)  floor2ceiling stand floor stand c  wall mount slim 221
WoLAN / WoWLAN / Fast Power-On (increased consumption)  Dimensions  Weight (approx. kg) excl. / incl. standard setup solution  W* x H x D (approx. cm) without setup solution (* incl. signature flag)  W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)  W* x H x D (approx. cm) incl. table stand (* incl. signature flag)  VESA support  Scope of Delivery  Speaker  Setup Solution / rotate-able  Remote control (incl. batteries)  Manual / power cord  Optional accessories  Selection of recommended setup solutions and audio systems	- / 220-240V, 50/60 Hz  • / • / •  18,6 / 24,1  124,4 × 74,1 × 7,6  124,4 × 74,1 × 9,4  124,4 × 75,1 × 26,3  400 × 200  integrated table stand / — We. REMOTE black (2x  AAA)  • / • (2 m)  floor2ceiling stand floor stand universal wall mount slim 432 wall mount universal	— / 220-240V, 50/60 Hz  • / • / •  16,2 / 21,7  113,0 × 67,6 × 7,6  113,0 × 67,6 × 9,4  113,0 × 68,9 × 26,3  300 × 200  integrated table stand / — We, REMOTE black (2x  AAA)  • / • (2 m)  floor2ceiling stand floor stand universal floor stand c wall mount slim 432	— / 220-240V, 50/60 Hz  • / • / •  12,1 / 15,1  97,5 x 58,9 x 6,6  97,5 x 58,9 x 9,4  97,5 x 60,2 x 20,2  300 x 300  integrated table stand /— We, REMOTE black (2x  AAA)  • / • (2 m)  floor2ceiling stand floor stand universal floor stand c wall mount slim 432	— / 220-240V, 50/60  • / • / •  7,2 / 10,3  73,1 x 45,6 x 7,6  73,1 x 45,6 x 8,2  73,1 x 46,7 x 20,2  100 x 100  integrated table stand / — We. REMOTE black (2) AAA)  • / • (2 m)  floor2ceiling stand floor stand c wall mount slim 221 wall mount universal

50

43

32

**—** 63

ы может (ил тириев. тремем по сотприкит). "
31 bs - Cs - da - de - et - en - es - fr - hr - is - it - lv - lt - hu - nl - no - pl - pt - ro - sq - sk - sl - sr - fi - sv - el - be - bg - kk
- mk - ru - uk - tr - ar

AV-PIP is only available in combination with DVB-T/C/\$

Via home network and USB
 eARC, ALLM, VRR FHD 48-60 Hz, 4K @ 60 Hz, 18 Gb/s
 CI Plus (CI-l) is backwards compatible to CI, functionality depends on module availability from supplier
 Only in conjunction with adapter (to be ordered separatel) and selected devices (RC5, 36 kHz)

All product and company names are trademarks To registered® trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them.

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.

We. by Loewe	We. HEAR 2	We. HEAR 1	
Audio		-	
Acoustic speaker concept	closed + passive membranes	closed + passive membranes	
Channel configuration (speaker layout)	2.0 (stereo)	2.0 (stereo)	
Output (watts sine / music)	30 / 60	20 / 40	
Driver (active + passive)	4 (2x 2,5, 2x 1")	2 (2x 1,5")	
Orientation front / side / up / rear firing	•/-/-	•/-/-	
2-channel crossover	•	•	
Class-D amp	•	•	
Frequency range (Hz)	60-20.000	80-17.000	
Connectivity and Interfaces			
USB	1 x USB-C (charge)	1 x USB-C (charge)	
Bluetooth	•	•	
Analogue audio in (3.5 mm jack)	•	•	
Network			
Bluetooth standard	5.0	5.0	
Bluetooth power (max. mW)	<10	<10	
Bluetooth frequency range	2,4 GHz	2,4 GHz	
Bluetooth protocols	A2DP, AVRCP	A2DP, AVRCP	
Mobility			
Battery type	7,4V, 4000mAh	7,4V, 2000mAh	
Charging current	5V, 2A	5V, 2A	
Charging time	4-5h	2-3h	
Playing time	15-17h	12-14h	
Water protection	IPX6	IPX6	
Environment			
Ambient temperature while in operation	0-40° C	0-40° C	
Relative humidity (non-condensing)	20-70%	20-70%	
Dimensions			
Weight (approx. kg) excl. / incl. standard setup solution	2,1	0,8	
W* x H x D (approx. cm) without setup solution (* incl. signature flag)	12,5 x 29,0 x 12,1	9,0 x 22,0 x 8,3	
Scope of Delivery			
Manual / power cord	•/-	•/-	
Others	USB cable, audio cable, carrying strap	USB cable, audio cable	
Optional accessories			
Selection of recommended setup solutions and audio systems	We. HEAR 2 as second speaker for true wireless	We. HEAR 1 as second speaker for true wireless	
•	stereo pairing (TWS)	stereo pairing (TWS)	

• = available — = not available Bluetooth<sup>®</sup>


All product and company names are trademarks<sup>TM</sup> or registered® trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them.

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.

LOEWE.



## LOEWE.



### **Loewe Technology GmbH**

Industriestraße 11 96317 Kronach Germany

Subject to technical modifications, delivery options, errors, and price changes. Furthermore, additional service offerings will be provided and billed on an individual basis.

loewe.tv











Loewe 01/2024 99.006.677